

50 Years of Proven Protection.



Product Catalog 118



We Just Turned 50... and Never Looked Better!

In 1974, Revco Industries brought a new level of personal protection to industrial markets. Under the Black Stallion® banner, Revco leveraged a keen focus on product innovation, dedication to quality, and a commitment to outstanding customer service, to build and grow a successful distributor network.

Now, 50 years later, Black Stallion® (we've adopted our flagship brand name as our own!) continues that track record of success. Black Stallion® leads the market in high-quality, innovation-driven, and value-rich gloves, FR garments, and other PPE. Our commitment to consistent quality, thoughtful product design, and best-practice supply processes ensures that we are the best solution for distributors in the welding, industrial, safety, oil & gas, mining, electrical utility, and construction markets.

For us, 50 years is not just a number. It is a testament to our durability. Not just the durability of our products but the durability of our relationships with our customers. And, it is our promise of a future of innovation, quality, and the best service in the industry. Service you can count on. Service you can trust. Every day.

THE Most Trusted Brands for Welding PPE

Look for these exclusive brands available only from Black Stallion®



Black Stallion® has been our flagship product line since the company started in 1974 as Revco Industries. The Black Stallion® brand is so well known and so trusted as a resource in the welding industry that we now simply call ourselves Black Stallion®.



Our BSX® line of welding gear takes the style, quality and innovation of Black Stallion® to an extreme level of design and performance. That is what BSX® stands for (in both words and actions) -- Black Stallion® Extreme. Eye-catching designs and bold colors are combined with enhanced comfort and dexterity elements for a full line of revolutionary gloves, garments, and accessories.



AngelFire® welding jackets and gloves are designed specifically to protect female welders. AngelFire® is not a smaller version of men's gear. It does not feature unisex sizing. It is an exclusive line of protective garments designed to comfortably fit a female welder. Black Stallion® is a pioneer in the development of PPE for women. Today, AngelFire® meets the unique needs of the ever growing contingent of female welding professionals.

Introducing New Glove Categories MAX / PRO / CORE

We've re-categorized all of our gloves to make it easier for you to note key performance differences. Look for the MAX, PRO, and CORE LEVEL icons at the top of each glove page (pages 38-67):



THE VERY BEST IN QUALITY AND DESIGN; TOP-SHELF MATERIALS; ADVANCED FEATURES



PROFESSIONAL LEVEL PERFORMANCE; QUALITY MATERIALS; KEY FEATURES



COST-CONSCIOUS STANDARD & ECONOMY GRADE MATERIALS; FUNCTIONAL DESIGN

Black Stallion® Value-Added Advantages

By partnering with us, you can leverage our unique value-added advantages to grow your business.

Spirit of Innovation.

Product innovation is not just about being new or different. It's about designing products that solve your customers' problems. We create products that your customers will love. And buy.

Marketing Ally.

We offer several programs designed to make selling our products easier and faster. We can supply you and your sales crews with marketing collateral, including catalogs, spec sheets, and other literature. We can collaborate on unique custom marketing programs, too.

Digital & Electronic Ordering Solutions.

From fast and easy online ordering through our Distributor Portal System to Electronic Data Interchange (EDI) services, we make purchasing from us convenient for you.

Inventory You Expect.

We are committed to maintaining inventory of our core welding and safety products. You can order with confidence, knowing the product you need is in one of our warehouses and ready to ship.

Inside & Field Sales Support.

With an assigned service team, including inside Territory Managers and Customer Service Reps, with local expert support, you get an unsurpassed level of personalized professional service.

Faster Delivery.

With dual warehouse and shipping facilities, and a commitment to maintaining inventory, we ship your order faster than other suppliers. You get the gear you need, when you need it.




Table of Contents

FR Garments

FR Cotton Welding Jackets 6-11
 FR Cotton Coveralls, Sleeves, More ... 12-13
 FR Cotton Work Shirts 14
 FR Cotton Hoodies 15

AR/FR Garments

AR/FR T-Shirts & Henley 17-18
 AR/FR Welding Jacket 18
 AR/FR Work Shirts 19-20
 AR/FR Outerwear 21
 AR/FR Jeans & Pants 22-23
 AR/FR Coveralls 24-25

Hybrid Welding Garments 27-29

Leather Welding Garments 31-36

Welding Gloves

Stick Welding Gloves 38-42
 MIG Welding Gloves 43-45
 TIG Welding Gloves 46-48

More Gloves

Mechanics Gloves 50-55
 Drivers Gloves 56-63
 Coated Gloves 64-67
 Leather Palm Work Gloves 68

Winter Gloves 70-73

Welding Back Pads 74

Welding Helmet Accessories 75

Welding Headwear 76-77

Welding Accessories 78-79

Welding Curtains & Screens 81-83

Welding Blankets 84-85

Welding Bags & Backpacks 86

Safety Accessories 87

Cut-Resistant Sleeves 88

Hi-Vis Safety Jacket & Vests 89

FR Industrial Umbrellas 90-91

High Temperature Protection 93-95

Types of Animal Leather 96

Size Charts 97

Index 98-99

Black Stallion® is a Proud Member of...

Welding & Gas Supplies Distributors :



Industrial, Construction, & Safety Supplies Distributors:





FR GARMENTS

FR Cotton Welding Jackets	6-11
FR Cotton Coveralls, Sleeves, More	12-13
FR Cotton Work Shirts	14
FR Cotton Hoodies	15

FR COTTON WELDING JACKETS

BSX® Welding Jackets



BSX® Contoured FR Cotton Welding Jacket

Reaching a new level in innovation, the BSX® Welding Jacket utilizes a modern design to create a better fitting, better looking, and more comfortable protective garment. 9 oz. flame-resistant cotton with contrasting flame graphics and piping. Extended 32" length front coverage.

BX9C	S-5XL	Black
BXRB9C	S-5XL	Royal Blue
B9C	S-5XL	Black (no flame graphics)
BXTN9C	S-5XL	Tan

**ALWAYS INNOVATING.
ALWAYS PROTECTING.**

Our BSX® line of welding gear takes the style, quality, and innovation of Black Stallion® to the extreme. That is what BSX® stands for -- Black Stallion® Extreme.



BXRB9C



B9C



BXTN9C

Flame-Resistant Cotton (9 oz. or 12 oz.) is recommended for light to moderate welding applications, including most MIG and TIG welding. For welding that involves more intense sparks and heat generation (flux core, stick welding, etc.), leather is the recommended protective material. Flame-resistant garments may not perform properly if soiled or tattered. Keep properly cleaned to maintain flame-resistant properties. Follow care labels attached to garment.

AngelFire® Women's FR Cotton Welding Jacket

With a tailored fit designed specifically for women welders, the JF1015-NB Women's FR Cotton Welding Jacket offers flame-resistant protection for light welding applications. 29" length.

JF1015-NB XS-XL Navy/Black



ANGELFIRE®

AngelFire® is a collection of welding garments & gloves created to comfortably fit a female welder. It is designed, cut, & fitted specifically for women. And, it is only available at Black Stallion®!

MORE BSX® & ANGELFIRE® WELDING GEAR



BSX® Cape Sleeves & Bib
See page 13



BSX® FR Cotton Sleeves
See page 13



AngelFire® Hybrid Welding Jacket
See page 27



BSX® Hybrid Welding Jackets
See pages 27 & 28



BSX® Leather Welding Jacket
See page 31



BSX® Stick Welding Gloves
See page 38



AngelFire® Stick Welding Gloves
See page 39



AngelFire® TIG Welding Gloves
See page 46

FR COTTON WELDING JACKETS

Black Stallion® Welding Jackets



6 convenient front snaps



Standup welder's collar



Easy ID FR patch



Scribe pocket



Inside pocket

FR Cotton Welding Jacket

With more features and superior quality, our 9 oz. FR cotton welding jacket provides better protection for light welding applications. Tested to maintain protection through 50 home washings. 30" length.

F9-30C	S-6XL	Green
F09-30C	S-5XL	Safety Orange
FL9-30C	S-5XL	Safety Lime
FN9-30C	S-5XL	Navy
FR9-30C	S-5XL	Red
FBK9-30C	S-5XL	Black

Also Available:

F9-36C	S-5XL	Green (36" length)
F9-42C	S-4XL	Green (42" length)
F9-50C	S-4XL	Green (50" length)
FN9-42C	S-4XL	Navy (42" length)
F2-30C	S-5XL	Green (12 oz.; 30" length)
F2-36C	S-4XL	Green (12 oz.; 36" length)
FB2-30C	S-4XL	Brown (12 oz.; 30" length)



Wrist snaps

F9-30C



Leather reinforcements on all snaps



FR COTTON

Black Stallion® FR Cotton fabric conforms to ASTM D6413 flame resistance & washable test methods. In order to meet ASTM D6413, a sample of fabric must self-extinguish with less than 2 second after flame and less than 6" char length. Applies to an initial sample and after 25 commercial wash cycles (50 home washings).



F09-30C

FL9-30C

FN9-30C

FR9-30C

FBK9-30C

Stretch-Back FR Cotton Welding Jacket

All the protection of our standard welding jacket, with the added comfort of a flame-resistant cotton stretch knit back panel. The stretch knit panel provides cooling breathability and stretch, while maintaining flame resistance (ASTM D6413). Tested to maintain protection through 50 home washings. 32" length.

JF1625-NG S-4XL Navy with Gray Stretch Panel




Leather reinforcements on all front snaps




Scribe pocket holds welding pencils, soapstone, & paint markers


Inside pocket keeps small items secure



6 powder-coated stainless steel front snaps & wrist snaps



7 oz. FR cotton knit back panel allows more airflow for cooling breathable comfort and stretches for easy motion



Welding Jacket Sizing

Take the chest measurement by measuring under the armpits around the fullest part of the chest. Take the sleeve measurement by extending arm with elbow bent as indicated in the picture, and measuring from the nape of the neck, around the elbow, and to the wrist. Find your welding jacket size in the table below.

Men's FR Cotton Welding Jacket Size Chart								
SIZE	S	M	L	XL	2XL	3XL	4XL	5XL
Chest	33" - 37"	37" - 41"	41" - 45"	45" - 49"	49" - 53"	53" - 57"	57" - 61"	61" - 65"
Sleeve	33"	34"	34"	36"	36"	37"	37"	38"

Flame-Resistant Cotton (9 oz. or 12 oz.) is recommended for light to moderate welding applications, including most MIG and TIG welding. For welding that involves more intense sparks and heat generation (flux core, stick welding, etc.), leather is the recommended protective material. Flame-resistant garments may not perform properly if soiled or tattered. Keep properly cleaned to maintain flame-resistant properties. Follow care labels attached to garment.

FR COTTON WELDING JACKETS

Enhanced Visibility Welding Jackets



JF1012-OR

Safety Welding Jacket with FR Reflective Tape

9 oz. flame-resistant cotton with 2" FR silver reflective tape is designed for light welding applications where enhanced visibility is critical (construction, traffic zones, etc.). 30" length.

JF1012-OR S-5XL Safety Orange

JF1012-LM S-5XL Safety Lime



JF1012-LM



JF1010-OR

JF1010-LM



6 SNAPS ARE BETTER THAN 4!

ALL of our welding jackets feature 6 powder-coated stainless steel front snaps for more protection, with less gapping. Others use as few as 4 snaps, leaving wide gaps for sparks to enter.

Safety Welding Jacket with FR Triple Trim Tape

- 9 oz. flame-resistant cotton
- FR triple trim reflective tape
- Standup welder's collar helps protect neck
- Inside pocket; left sleeve scribe pocket
- 6 powder-coated steel front snaps
- Wrist snaps

JF1010-OR S-5XL Safety Orange

JF1010-LM S-5XL Safety Lime

Hi-Vis Class 3 FR Cotton Jacket

Hi-Vis yellow 9 oz. FR-treated cotton provides protection from heat and sparks and is ANSI/ISEA 107-2020 certified [Type R Class 3]. NFPA 70E compliant; ATPV 8.2 cal/cm² (PPE Cat 2). Meets or exceeds the minimum materials requirements in ASTM F1506 for flame resistance.

JF1117-HY S-4XL Hi-Vis Yellow



Back access slot for fall harness D-ring (D-ring shown is not included)

"X" reflective pattern on back



Standup welder's collar

FR reflective tape

Scribe pocket

ANSI 107-2020 Type R, Class 3

Stitched with FR para-aramid threads

32" extended front length

Wrist snaps

Concealed front snaps

Inside pocket

Hi-Vis Class 2 FR Cotton Vest

- 9 oz. FR-treated 100% cotton
- FR silver reflective tape
- 7 exterior pockets hold lots of small tools & gear
- Mic tabs provide easy access to remote microphone
- Back access slot for fall harness D-ring
- Concealed snap fasteners for quick on & off
- Stitched with FR para-aramid threads
- Meets ANSI/ISEA 107-2015 Type R Class 2 compliant
- NFPA 70E compliant; ATPV 8.2 cal/cm² (PPE Category 2)
- ASTM F1506 compliant

VF1110-HY S-4XL Hi-Vis Yellow



FR COTTON COVERALLS, SLEEVES, & MORE



Flame-Resistant Cotton Coveralls

- 9 oz. flame-resistant cotton
- Roomy enough to fit over clothing
- Covered snap closure
- Blank name badge for identification
- Inside adjustable fit waistband
- Pass-through side pockets
- 2 rear pockets

F9-32CA/PT	S-5XL	Green
FN9-32CA/PT	S-5XL	Navy
F09-32CA/PT	S-5XL	Orange
FN9-32CA/PT/RTT	S-5XL	Navy with Reflective

See page 25 for Coverall Size Chart



FR COTTON

Black Stallion® FR Cotton fabric conforms to ASTM D6413 flame resistance and washable test methods. In order to meet ASTM D6413, a sample of fabric must self-extinguish with less than 2 second after flame and less than 6" char length. Applies to an initial sample & after 25 commercial wash cycles (50 home washings).



Flame-Resistant Cotton Cape Sleeves & Bibs

- 9 oz. flame-resistant cotton
- Snap front & wrists on sleeves
- Scribe pocket on sleeve
- Bibs include adjustable waist strap

F9-21CS	S-5XL	Green Cape Sleeves
F9-20B	20" Length	Green Bib
F9-24B	24" Length	Green Bib

Also Available:

F2-21CS	S-4XL	12 oz. Green Cape Sleeves
----------------	-------	---------------------------



Flame-Resistant Cotton Work Pants

- 9 oz. flame-resistant cotton
- Industrial belt loops
- Side seam front pockets & rear patch pockets
- Available in waist sizes 30-48; even sizes only; (F9-34P 32-48; F09-32P 32-50)

F9-32P	32" inseam	Green
F9-34P	34" inseam	Green
F09-32P	32" inseam	Orange



FR Cotton Hood

- 9 oz. flame-resistant cotton
- Full drape
- Hook & loop fastener

F9-HOOD	One Size	Green
----------------	----------	-------

FR Cotton Sleeves

- 9 oz. flame-resistant cotton
- Elastic wrists & biceps
- Sold by the pair

F9-18S	18" Length	Green
F9-23S	23" Length	Green

Also Available:

F2-18S	12 oz.; 18" Length	Green
F2-23S	12 oz.; 23" Length	Green



F9-18S

FR Cotton Sleeves with Snap Wrist

- 9 oz. flame-resistant cotton
- Elastic bicep band
- Snaps on wrist
- Sold by the pair

F9-118S	18" Length	Green
----------------	------------	-------



FR Cotton Sleeves with Elastic Cuffs

- 9 oz. flame-resistant cotton
- Elastic bands on wrists & biceps
- Sold by the pair

F9-218S	18" Length	Green
F9-223S	23" Length	Green



F9-218S

FR Cotton Bib Apron

- 9 oz. flame-resistant cotton
- Shoulder & waist harness straps

F9-36A	36" Length	Green
F9-42A	42" Length	Green



F9-36A



BX9-19S-BK



BX9-19S-RB

BSX® FR Cotton Sleeves

- 19" 9 oz. flame-resistant cotton sleeves
- Wide upper arm elastic cuffs
- Comfortable ribbed knit wrist cuffs
- Reinforcement layer for durability
- Sold by the pair

BX9-19S-BK	Black with Red Flame Graphics
BX9-19S-RB	Black with Royal Blue



BX21CS



BX21B

BSX® Advanced FR Cotton Cape Sleeves & Bib

- 9 oz. flame-resistant cotton
- Standup welder's collar
- Snap front & wrists on sleeves
- NoGap™ bib dock
- Extended 21" double-layer bib
- Cape sleeves & bib sold separately

BX21CS	S-5XL	Cape Sleeves
BX21B	21" Length	Bib





FS9-PGY

Flame-Resistant Cotton Work Shirt

Classic and comfortable styling in a 7 oz. flame-resistant treated cotton. Generously cut for a comfortable and relaxed fit. Tested to maintain FR protection through 50 home washings (ASTM D6413 test method).

FS7-KHK	S-5XL	Khaki
FS8-DNM	S-5XL	Denim (8oz.)
FS9-PGY	S-5XL	Gray Plaid




FS7-KHK

FS8-DNM

Work Shirt Sizing

Take the chest measurement by measuring under the armpits around the fullest part of the chest. Take the sleeve measurement by extending arm with elbow bent as indicated in the picture, and measuring from the nape of the neck, around the elbow, and to the wrist. Find your work shirt size in the table below.



Men's Work Shirt Size Chart								
SIZE	S	M	L	XL	2XL	3XL	4XL	5XL
Chest	33"-37"	37"-41"	41"-45"	45"-49"	49"-53"	53"-57"	57"-61"	61"-65"
Sleeve	33"	34"	34"	36"	36"	37"	37"	38"



12 oz. Flame-Resistant Cotton Full-Zip Hooded Sweatshirt


Provides warmth and FR protection for a variety of industrial and welding applications. The removable hood is a must for job site safety. Comfortable FR treated cotton.*

JF1331-BK	M-4XL	Black
JF1332-LM	M-4XL	Safety Lime with 2" FR Reflective Tape
JF1332-OR	M-4XL	Safety Orange with 2" FR Reflective Tape



*For welders, the FR Hooded Sweatshirt is intended to be used as part of a layered warmth/FR system. It is recommended that a welding jacket be worn over the Hooded Sweatshirt for maximum protection when welding.

CUSTOM LOGO SERVICES



- WORK SHIRTS • GLOVES • T-SHIRTS**
- COVERALLS • WELDING BEANIES • WELDING JACKETS**
- HOODIES • BAGS • SAFETY VESTS**

Promote your business, your customer's business, or both with our custom logo service. We make adding your logo or other graphic to our gloves and garments fast, easy, & affordable.

Call today for pricing and details.





AR/FR GARMENTS

AR/FR T-Shirts & Henley	17-18
AR/FR Welding Jacket	18
AR/FR Work Shirts	19-20
AR/FR Outerwear	21
AR/FR Jeans & Pants	22-23
AR/FR Coveralls	24-25


AR/FR Canvas Duck Insulated Bomber Jacket

For superior protection from inclement weather and job site arc flash and flash fire hazards, put on the JF5000-NV AR/FR Canvas Duck Insulated Bomber Jacket. The 10 oz. cotton/nylon canvas duck shell, 11 oz. modacrylic insulation, and quilted cotton lining offer water-repellent protection, with enhanced warmth and comfort. NFPA 2112; NFPA 70E, ATPV 35 cal/cm² (PPE CAT 3).


JF5000-NV M-4XL Navy



Removable hood



FR taped front zipper with protective flap & snaps



Quilted cotton liner with modacrylic insulation



Inside pockets keep small items dry & secure



Knit storm cuffs with hemmed sleeve ends

12 oz. AR/FR Cotton Full-Zip Hooded Sweatshirt

- 12 oz. AR/FR cotton knit fleece*
- Snap-on removable hood with self-fabric drawstrings
- Convenient left sleeve pocket holds small items
- Covered flaps on front pockets & zipper
- Rib knit cuff & waistband for snug fit
- UL certified; NFPA 2112 certified
- NFPA 70E compliant; PPE Category 2

JF3530-NV M-4XL Navy



*For welders, the AR/FR Hooded Sweatshirt is intended to be used as part of a layered warmth/FR system. It is recommended that a welding jacket be worn over the JF3530-NV for maximum protection when welding.

AR/FR T-SHIRTS & HENLEY

NFPA 2112 & NFPA 70E Compliant LS T-Shirts & Henley

Comfortable tagless neck



Easy ID FR patch
Scribe pocket

7 oz. AR/FR cotton

Stitched with FR aramid threads

TF2510-GY

7 oz. AR/FR Cotton Knit Long-Sleeve T-Shirt

Designed for workers who may be exposed to potential flash fire & arc flash hazards typically associated with Oil & Gas, Utility, Construction, and Industrial applications. Layer under protective outerwear to increase protection. Tested to both NFPA 2112 and NFPA 70E standards. Maintains protection through 100 home washings (50 commercial laundry cycles).

TF2510-GY	S-4XL	Gray
TF2510-NV	S-4XL	Navy
TF2510-OR	S-4XL	Safety Orange
TF2510-LM	S-4XL	Safety Lime
TF2511-LM	S-4XL	Lime with Reflective Tape
TF2511-OR	S-4XL	Orange with Reflective Tape



TF2510-NV

TF2510-OR

TF2510-LM



TF2511-LM

TF2511-OR

Available with 2" FR reflective heat transfer tape

Drop down "X" reflective pattern indicates when wearer's back is turned

7 oz. AR/FR Cotton Knit Long-Sleeve Henley

- 7 oz. AR/FR cotton jersey knit
- Premium heat-resistant urea buttons
- ASTM F1506, NFPA 2112 certified
- NFPA 70E certified, ATPV 12 cal/cm² (PPE CAT 2)
- Stitched with durable FR aramid threads
- Tested to retain protection through 100 washes

TF2520-NG S-4XL Navy/Gray





7 oz. Hi-Vis Class 3 AR/FR Cotton Knit Long-Sleeve T-Shirt

Hi-Vis yellow 100% cotton knit provides both flash fire (NFPA 2112) and arc flash (NFPA 70E) hazard protection and is ANSI/ISEA 107-2020 certified (Type R Class 3). Segmented FR heat transfer tape is more flexible than traditional sewn-on tape, providing extra comfort and movement, while still meeting the ANSI requirements for reflective surface area. The black fabric on the front torso helps to hide daily dirt and grime. Appropriate applications include Road & Survey Crews, Utility Workers, Railway & Metro Workers, Emergency Services, Construction, and others.

TF3030-HB 5-4XL



BACK



Segmented FR heat seal tape

Easy ID FR patch & standards badge

7 oz. AR/FR cotton knit

ANSI 107-2020 Type R, Class 3

Black bottom (front) helps hide dirt

9 oz. AR/FR Cotton Deluxe Welding Jacket

- Durable 9 oz. AR/FR cotton
- UL certified; NFPA 2112 certified
- NFPA 70E compliant; ATPV 10 cal/cm² (PPE Cat 2)
- Stitched with FR para-aramid threads
- Scribe pocket on left sleeve; inside pocket
- 32" length for extended torso protection

JF2220-GY 5-4XL Gray



AR/FR COTTON WORK SHIRTS

NFPA 2112 & NFPA 70E Compliant Work Shirts



WF2110-ST

7 oz. AR/FR Cotton Work Shirt

Black Stallion® FR-treated cotton (100 washes) meets NFPA 2112 standards for flash fire protection and NFPA 70E standards for arc flash hazard protection. Tested to retain flame resistance through 100 home washings. Meets OSHA 1910.269 and 1910.132.

WF2110-ST	S-4XL	Stone Khaki
WF2110-GY	S-4XL	Gray
WF2110-NV	S-5XL	Navy
WF2112-ST	S-4XL	Stone Khaki with 2" FR Reflective Tape
WF4010-ST	S-4XL	Stone Khaki 88/12 Cotton/Nylon Blend



WF2110-GY



WF2110-NV



WF2112-ST



WF4010-ST



PVA Cooling Towel

- Super-absorbent PVA cooling technology
- Relieves effects of heat stress
- Provides cooling feeling as it evaporates
- Soak 3-5 minutes in cool water for up to 4 hours of cooling
- Reactivate several times, simply rewet
- Embossed honeycomb overlay helps towel absorb & retain water
- Included container can be used to store & transport to job site
- 29" x 12"
- Sold in quantities of 6 (6-unit inner box; 24-unit carton)

AH7055-BL Blue





7 oz. AR/FR Cotton Work Shirt with Pearl Snaps

Our best-selling plaid AR/FR cotton work shirts now come with pearl front, wrist, and pocket snaps. Black Stallion® FR-treated cotton (100 washes) meets NFPA 2112 standards for flash fire protection and NFPA 70E standards for arc flash hazard protection. Tested to retain flame resistance through 100 home washings. Meets OSHA 1910.269 and 1910.132.

WF2110-PB	S-5XL	Blue Plaid
WF2110-PR	S-5XL	Red Plaid
WF2110-PK	S-5XL	



Shatter-proof melamine collar button

Classic collar (no snaps)



Pearl snaps on front placket

Easy ID FR patch & standards badge

Chest pockets with flaps & pearl snaps

Stitched with FR aramid threads



WF2110-PB



2-snap barrel cuffs




WF2110-PR

WF2110-PK

Work Shirt Sizing

Take the chest measurement by measuring under the armpits around the fullest part of the chest. Take the sleeve measurement by extending arm with elbow bent as indicated in the picture, and measuring from the nape of the neck, around the elbow, and to the wrist. Find your work shirt size in the table below.



Men's Work Shirt Size Chart								
SIZE	S	M	L	XL	2XL	3XL	4XL	5XL
Chest	33"-37"	37"-41"	41"-45"	45"-49"	49"-53"	53"-57"	57"-61"	61"-65"
Sleeve	33"	34"	34"	36"	36"	37"	37"	38"



AR/FR JEANS & PANTS

NFPA 2112 & NFPA 70E Compliant Jeans



Brass button waist-band closure



High quality brass zipper with Nomex®/aramid zipper tape

Relaxed fit; 5-pocket jean design



10.5 oz. FR Stretch Denim Jeans

Work pants have to work hard (and protect hard). But they don't have to feel (or look) like work pants, do they? Our FD10 AR/FR Relaxed-Fit Stretch Denim Jeans have all the NFPA 2112 and NFPA 70E certified protection needed to get the job done safely. But, with lighter weight 10.5 oz. stretch denim, these pants have the right amount of flex to bend and move. NFPA 2112; NFPA 70E, ATPV 15 cal/cm² (PPE Cat 2). Meets OSHA 1910.269 and 1910.132. Available in 30-48 waist (even sizes) with 30", 32", and 34" inseams.

FD10-30P	30" Inseam	Medium Wash
FD10-32P	32" Inseam	Medium Wash
FD10-34P	34" Inseam	Medium Wash



Stitched with rugged FR aramid threads

10.5 oz. 99% cotton / 1% spandex AR/FR denim



14 oz. AR/FR Denim Jeans

- 14 oz. AR/FR cotton denim
- Stitched with durable FR para-aramid threads
- Relaxed fit with 5-pocket jean design
- Meets OSHA 1910.269 and 1910.132
- Available in waist sizes 32"-48" (even sizes)

FD14-30P	30" Inseam	Dark Wash
FD14-32P	32" Inseam	Dark Wash
FD14-34P	34" Inseam	Dark Wash
FD14-36P	36" Inseam	Dark Wash



BLACK STALLION® AR/FR GARMENTS

Black Stallion® AR/FR Garments meet the materials requirements of ASTM F1506 and provide both flash fire and arc flash hazard protection. Our AR/FR garments conform to both NFPA 2112 and NFPA 70E standards and are tested to maintain protection through 100 home washings. Our AR/FR fabrics include 100% treated cotton, denim, 88/12, and other blends.



10 oz. AR/FR Stretch Canvas Utility Pant

Loaded with features that are engineered to get the job done, our NEW AR/FR Stretch Canvas Utility Pant offers durable comfort and mobility. Relaxed through the seat and thigh with a wide leg opening for your favorite work boots. Meets NFPA 70E, NFPA 2112, and ASTM F1506 performance requirements. Available in 30-48 waist (even sizes) with 30", 32", and 34" inseams.

PF5530-KH	30" Inseam	Khaki
PF5532-KH	32" Inseam	Khaki
PF5534-KH	34" Inseam	Khaki
PF5530-CG	30" Inseam	Charcoal Gray
PF5532-CG	32" Inseam	Charcoal Gray
PF5534-CG	34" Inseam	Charcoal Gray



AR/FR cotton blend provides both flash fire & arc flash hazard protection



CHARCOAL GRAY



Flat hammer loop for tools



Double cell phone pocket on right thigh



KHAKI



Knee darts offer comfort while bending, crawling, or stooping



AR/FR COVERALLS

NFPA 2112 & NFPA 70E Complaint 7 oz. Coveralls



7 oz. AR/FR Cotton Coveralls

- Lightweight 7 oz. AR/FR treated cotton
- Elastic waistband
- Left chest pocket with pencil slot
- Hip pockets & pass-through pockets
- 2-way FR zipper with flap that snaps closed
- UL certified; NFPA 2112 certified
- NFPA 70E certified; ATPV 8.7 cal/cm² (PPE Cat 2)
- Meets OSHA 1910.269 and 1910.132
- 30.5" inseam for all sizes
- Also available with 2" FR silver reflective tape on shoulders, arms, legs

CF2117-ST	S-5XL	Stone Khaki
CF2117-NV	S-5XL	Navy
CF2117-GY	S-5XL	Gray
CF2117-OR	S-5XL	Safety Orange
CF2118-ST	S-5XL	Stone Khaki with FR Tape
CF2118-NV	S-5XL	Navy with FR Tape
CF2118-GY	S-5XL	Gray with FR Tape
CF2118-OR	S-5XL	Orange with FR Tape



7 oz. 88/12 AR/FR Coveralls

- Durable 7 oz. 88/12 AR/FR blend
- Elastic waist & action back
- 2-way FR zipper closure
- Left chest pocket with pencil slot
- Hip pockets and pass-through pockets
- NFPA 2112 certified, UL certified
- NFPA 70E; ATPV 9.3 cal/cm² (PPE Cat 2)
- Meets OSHA 1910.269 and 1910.132
- 30.5" inseam for all sizes

CF4017-ST	S-5XL	Stone Khaki
CF4017-NV	S-5XL	Navy
CF4017-GY	S-5XL	Gray



Black Stallion® 88/12 AR/FR Fabric

88/12 is a chemically-treated blend of 88% cotton & 12% nylon. The addition of nylon woven tightly on the inside of the FR cotton fabric makes the garment much more durable and comfortable.

9 oz. AR/FR Cotton Deluxe Coveralls

- Durable AR/FR treated cotton
- Adjustable elastic waistband for a better fit
- Chest pockets with protective flaps & pencil slots
- Gusseted underarms provide greater freedom of movement
- Large hip pockets with coin catch
- 2-way FR zipper with flap that snaps closed
- UL classified; NFPA 2112 certified
- NFPA 70E certified; ATPV 10 cal/cm² (PPE Cat 2)
- Meets OSHA 1910.269 and 1910.132
- Also available with 2" FR silver reflective tape on wrists and ankles, around torso, over shoulders, and across back

CF2215-ST	S-5XL	Stone Khaki
CF2215-NV	S-5XL	Navy
CF2216-ST	S-5XL	Stone with 2" FR Reflective Tape
CF2216-NV	S-5XL	Navy with 2" FR Reflective Tape



CF2215-ST

CF2215-NV


BLACK STALLION® AR/FR GARMENTS

Black Stallion® AR/FR Garments meet the materials requirements of ASTM F1506 and provide both flash fire and arc flash hazard protection. Our AR/FR garments conform to both NFPA 2112 and NFPA 70E standards and are tested to maintain protection through 100 home washings. Our AR/FR fabrics include 100% treated cotton, denim, 88/12, and other blends.



COVERALL SIZE CHART -- Use for All Coveralls on Pages 12, 24, & 25

7 oz. Coverall Sizes								
CF2117, CF2118, CF4017	S	M	L	XL	2XL	3XL	4XL	5XL
Chest Size (suit coat size)	34/36	38/40	42/44	46/48	50/52	54/56	58/60	62/64
Chest Measurement	44.5	48.5	52.5	56.5	60.5	64.5	68.5	72.5
Waist	39	42	45	49	54	58	62	66
Inseam	30.5	30.5	30.5	30.5	30.5	30.5	30.5	30.5
Torso	38	38	40	40	42	42	44	44
Sleeve Length	32	33	34	35	36	36.5	37	37
9 oz. Coverall Sizes								
CF2215, CF2216, F9-32CA/PT, FN9-32CA/PT, F09-32CA/PT, FN9-32CA/PT/RTT	S	M	L	XL	2XL	3XL	4XL	5XL
Chest Size (suit coat size)	36/38	40/42	44/46	48/50	52/54	56/58	60/62	64/66
Chest Measurement	44	48	52	56	60	64	68	72
Waist	42	45	48	51	54	57	60	63
Inseam	30	30	32	32	34	34	34	35
Torso	38	38	40	40	42	42	42	44
Sleeve Length	34.5	34.5	35.5	35.5	37.5	38.5	40.5	42.5





HYBRID WELDING JACKETS

BSX® FR Cotton & Split Cowhide Hybrid Welding Jacket

9 oz. FR cotton chest, shoulders, and back offer lightweight protection, while the split cowhide sleeves and lower torso "spark panel" provide more aggressive heat & spark protection. Unique back ventilation flap allows cooler air to replace hot air.

JH1016-NB S-5XL Navy/Black



AngelFire® Women's Hybrid Welding Jacket

- Tailored fit designed specifically for women welders
- Durable split cowhide sleeves, shoulders, chest, torso
- Lightweight FR cotton midsection, underarms, & collar
- Cowhide "spark panel" provides additional torso heat & spark protection
- 3-position waist adjustment strap for a custom fit
- Stand-up welders collar helps protect neck
- Convenient scribe pockets on both sleeves
- Inside pocket holds phone & small items

JH1515-NB XS-XL Navy/Black



BSX® Hybrid Cowhide & FR Cotton Sleeves

- Cowhide forearm
- 9 oz. FR cotton upper arm
- 22" length
- Wide upper arm elastic & elastic wrist cuff
- Sold by the pair

BX-22C Black with Navy Blue



HYBRID WELDING JACKETS

Pigskin Hybrid Welding Jackets & Sleeves



BSX® FR Cotton & Grain Pigskin Hybrid Welding Jacket

The BSX® Hybrid Welding Jacket offers the ideal combination of durable protection and cool comfort. Premium grain pigskin leather sleeves, with 9 oz. flame-resistant cotton body. Extended 32" front coverage.

BXR9C/PS S-5XL Royal Blue



FR Cotton & Grain Pigskin Hybrid Welding Jacket

- Resilient grain pigskin sleeves
- 9 oz. flame-resistant cotton body
- Standup welder's collar
- Dual scribe pockets
- Snap front & wrists
- Inside pocket
- 30" length

FRB9-30C/PS S-4XL Royal Blue



BSX® Hybrid Grain Pigskin & FR Cotton Sleeves

- Grain pigskin leather forearm
- 9 oz. FR cotton upper arm
- 19" length
- Wide upper arm elastic & elastic wrist cuff
- Sold by the pair

BX-19P Black with Royal Blue



FR Cotton & Split Cowhide Hybrid Welding Jacket

With a Black Stallion® Hybrid Welding Jacket, you get the best of both worlds. Rugged split cowhide sleeves shield arms from sparks and spatter, while breathable flame-resistant cotton protects the torso. 30" length.

FRB9-30C/BS	S-5XL	Royal Blue
F9-30C/BS	S-5XL	Green
F09-30C/BS	S-4XL	Orange



Safety FR Cotton & Split Cowhide Hybrid Welding Jacket

- Split cowhide sleeves
- 9 oz. flame-resistant cotton body
- Standup welder's collar
- 2" FR reflective tape
- "X" reflective pattern on back identifies when wearer's back is turned
- Back access for fall harness D-ring
- Dual scribe pockets
- Snap front & wrists
- 30" length

JH1012-OR	S-4XL	Safety Orange
JH1012-LM	S-4XL	Safety Lime





LEATHER WELDING GARMENTS

BSX® Contoured Grain Pigskin Welding Jacket



We combined the innovative design of our popular BSX welding jacket with the performance qualities of lightweight pigskin, to create a truly unique piece of protective apparel. Pigskin is 50% lighter than a traditional cowhide jacket but offers 100% of the protection.

JL2035-BK M-3XL



Lightweight durable grain pigskin

FR para-aramid stitching



Adjustable wrist snaps

Extended 32" front coverage

Standup welder's collar with corduroy lining

Satin-lined shoulders for easier on and off

Dual scribe pockets with rivet reinforcements



Waist strap with 2-position adjustment



Outside pocket with flap, snap closure, & rivet reinforcements

DuraLite™ Premium Grain Pigskin Welding Jacket

- Lightweight grain pigskin; 50% the weight of cowhide
- Protective standup corduroy collar
- Satin-lined shoulders
- Front & wrist snaps with leather reinforcements
- Dual scribe pockets & inside pocket
- Gusseted underarms
- Adjustable waist straps
- Stitched with FR para-aramid threads
- 30" Length

30PWC S-3XL




LEATHER WELDING GARMENTS

Cowhide Welding Jacket



Satin-lined shoulders



Gusseted underarms



Adjustable waist snaps



Reinforced front & wrist snaps




Corduroy collar

Split Cowhide Welding Jacket

Our Split Cowhide Welding Jacket offers the right balance of performance and value. Cowhide is a tough, durable leather that performs well against sparks and spatter.

30WC	S-5XL	30" Length
26WJ	S-4XL	26" Length
36WC	S-4XL	36" Length




Dual scribe pockets

Outside pocket with flap

Para aramid stitching

30WC



Leather Welding Jacket Sizing

Take the chest measurement by measuring under the armpits around the fullest part of the chest. Take the sleeve measurement by extending arm with elbow bent as indicated in the picture, and measuring from the nape of the neck, around the elbow, and to the wrist. Find your jacket size in the table.

Men's Leather Welding Jacket Size Chart

SIZE	S	M	L	XL	2XL	3XL	4XL	5XL
Chest	33" - 37"	37" - 41"	41" - 45"	45" - 49"	49" - 53"	53" - 57"	57" - 61"	61" - 65"
Sleeve	33"	34"	34"	36"	36"	37"	37"	38"



Split Cowhide Cape Sleeves & Bibs

A lighter weight alternative to a leather welding jacket, cowhide cape sleeves offer natural protection where you need it most. Coordinating cowhide bib is available in three lengths.

21CS	S-4XL
14WB	14" Length Bib
20WB	20" Length Bib
24WB	24" Length Bib



20WB



21CS



220CS



18SLV



25SLV

Split Cowhide Cape Sleeve & Bib Combo

- 21CS cape sleeves with split cowhide bib
- Bib includes waist strap
- Para aramid stitching

214CS	S-4XL	Cape Sleeves & 14" Bib Combo
220CS	S-4XL	Cape Sleeves & 20" Bib Combo

Split Cowhide Sleeves

- Durable side split cowhide
- Adjustable straps
- Para aramid stitching
- Sold by the pair

18SLV	18" Length
23SLV	23" Length, Sling Strap
25SLV	25" Length, Sling Strap

LEATHER WELDING GARMENTS

Cowhide Aprons & Leggings



36A

Split Cowhide Apron

- Durable side split cowhide
- Adjustable straps
- Para-aramid stitching

36A 36" Length

42A 42" Length

48A 48" Length



Split Cowhide Waist Apron

- Durable side split cowhide
- Adjustable straps
- Para-aramid stitching

24WA 24" Length



75CL

92CL

Split Cowhide Leggings

- Side split cowhide
- 15.5" Length
- Hook & loop fastener
- Internal support
- Para-aramid stitching

92CL Metal Side Bar Support

75CL Plastic Insert Support



48SL

Split Cowhide Split-Leg Bib Apron

- Durable side split cowhide
- Adjustable straps
- Para-aramid stitching

36SL 36" Length

42SL 42" Length

48SL 48" Length



Split Cowhide Split-Leg Apron

- Durable side split cowhide
- Adjustable straps
- Para-aramid stitching

40WS 40" Length

Color Block Split Cowhide Welding Jacket

Color-blocked black and royal blue split cowhide creates a modern and stylish twist to a traditional welding garment. 30" length.

JL1030-BB S-4XL Black/Royal Blue



Adjustable standup welder's collar



Satin-lined shoulders

Scribe pocket on the left sleeve

Reinforced snaps



Inside pocket



Gusseted underarms



Adjustable waist snaps



Color Block Split Cowhide Cape Sleeves

- Rugged split cowhide leather
- Adjustable standup welder's collar
- Satin-lined shoulders
- Reinforced snaps
- Dual scribe pockets
- Snaps to attach to Color Block Split Cowhide Bib (AL1020-BL)

JL1021-BB S-4XL Black/Royal Blue



Color Block Split Cowhide Bib

- Rugged split cowhide leather
- 20" length
- Snaps to attach to Color Block Leather Cape Sleeves (JL1021-BB)

AL1020-BL 20" Length Black/Royal Blue

LEATHER WELDING GARMENTS

Rugged Split Cowhide Welding Jacket, Cape Sleeves, Bib



Standup welder's collar with 2 snap options



Gusseted underarms

FR para-aramid stitching



Adjustable waist straps

Wrist snaps



CORE Split Cowhide Welding Jacket

Our CORE Split Cowhide Welding Jacket provides the protection, quality, and performance needed to get the job done, with the bottom-line value your customers demand.

JL1550-TN S-4XL

Dual scribe pockets with rivet reinforcements

Outside pocket with flap and snap closure

Rivet reinforcements on outside pocket corners



CORE Split Cowhide Cape Sleeves

- Rugged split cowhide leather
- Standup welder's collar with 2 snap options
- Dual scribe pockets with rivet reinforcements
- Adjustable wrist snaps
- Stitched with FR para-aramid threads
- Attaches to Black Stallion® Bib (AL1520-TN)

JL1525-TN S-4XL



CORE Split Cowhide Bib

- Rugged split cowhide leather
- 20" length
- Stitched with FR para-aramid threads
- Attaches to Black Stallion® Cape Sleeves (JL1525-TN)

AL1520-TN 20"



WELDING GLOVES

Stick Welding Gloves	38-42
MIG Welding Gloves	43-45
TIG Welding Gloves	46-48



850

Premium Grain Elkskin Stick Glove with Nomex® Lined Back

Both the 850 and 750 are constructed of Black Stallion® elkskin leather -- extra-thick for superior heat, flame, and abrasion resistance. The Nomex® padded back offers extra flame-resistant protection.

850	S-2XL	Gold
750	S-XL	Pearl



750



BSX® Extended Cuff Grain Pigskin Palm Stick Glove

- Premium grain pigskin palm
- One-piece split cowhide back
- 15" length for added wrist & forearm protection
- Weltd seams in key stress areas
- Side padding from pinky to wrist
- Palm patch reinforcements
- Durable Dupont™ Kevlar® stitching

GS3030-BK S-2XL



Premium Cowhide Stick Glove with Grain Pigskin Palm

- Grain pigskin palm
- Split cowhide back
- Wool insert on back of hand extends through cuff
- Exclusive DragPatch® side padding
- Exclusive CushionCore® padded palm liner
- Durable Dupont™ Kevlar® stitching

730 M-2XL

Split Cowhide Stick Glove with FluxGuard™ Snaps

The 580 Stick Glove includes 8 snaps to attach our FluxGuard™ Heat Shield (580AN), available separately. The 580AN wraps around the hand for extra protection.

580	L	Pair
580LH	L	Left Hand Only
580AN	One Size	Snap-On Heat Shield



580AN

Wide thumb strip reinforcement

Durable Dupont™ Kevlar® stitching



Premium side split cowhide

Exclusive CushionCore™ padded liner

Snaps for FluxGuard™ heat shield (580AN sold separately)

580



Cowhide Stick Glove with Aluminized Back & Thumb

- Split cowhide palm & cuff
- 14" length for added wrist & forearm protection
- Aluminized back & thumb
- Wool lining offers comfort & protection
- Stronger welted seams
- Durable Dupont™ Kevlar® stitching

104 L-XL



Angelfire® Women's Stick Glove with DragPatch®

- Premium grain pigskin palm
- Split cowhide back
- Exclusive DragPatch® side padding
- Palm reinforcement
- Durable Dupont™ Kevlar® stitching

LS50 XS-XL






Side Split Cowhide Stick Glove with CushionCore™ Liner

High-quality side split cowhide stick glove with wide reinforcements in key stress areas.

320	S-3XL	Pair
320LH	L	Left Hand Only

CushionCore® Heat-Blocking Liner

CushionCore® is our most comfortable, heat-blocking liner. A layer of cotton foam is sandwiched between the glove leather and a soft cotton fleece inner lining. The cotton foam absorbs & deflects a portion of the heat generated when welding.



Performance Side Split Cowhide Stick Glove

- Side split cowhide
- Exclusive CushionCore™ padded liner
- Wide thumb strip reinforcement
- Durable Dupont™ Kevlar® stitching

200 L



21" Split Cowhide Stick Glove with RestPatch®

- Durable split cowhide
- Long cuff design for more forearm protection
- Exclusive RestPatch® wrist & forearm padding
- Exclusive CushionCore™ padded liner
- Wide thumb strip reinforcement
- Durable Dupont™ Kevlar® stitching

GS1321-BG M-XL

Select Split Cowhide Stick Glove with CushionCore™ Liner

Tough cowhide leather stick glove includes wide palm guard for enhanced heat protection in a key stress area.

280 L



Select shoulder split cowhide

Wide thumb strip reinforcement

Durable Dupont™ Kevlar® stitching

Exclusive CushionCore™ padded liner



Split Cowhide Stick Glove with Pull Tab

- Durable split cowhide
- Exclusive CushionCore™ padded liner
- Pull tab on wrist
- Wide thumb strip reinforcement
- Durable Dupont™ Kevlar® stitching

550 L



Grain Pigskin Stick Glove

- Supple grain pigskin
- Comfortable cotton fleece lining
- Durable Dupont™ Kevlar® stitching

111P S-XL



18" Shoulder Split Cowhide Stick Glove

- Select shoulder split cowhide
- Long cuff design for more forearm protection
- Cotton fleece lined for comfort
- Durable Dupont™ Kevlar® stitching

111R-18 S-XL

Durable Dupont™ Kevlar® stitching

Shoulder split cowhide

Full cotton
fleece lining

Thumb strip
reinforcement



110

Select Shoulder Split Cowhide Stick Glove

Reliably consistent quality for standard stick welding protection.

110	S-XL
110LH	L Left Hand Only



COWHIDE FOR STICK WELDING

Cowhide performs very well against heat, sparks, & spatter. It is tough & durable, with sufficient suppleness for comfort. Cowhide is naturally water & dirt resistant, making it easier to care for. It offers the right balance of performance & value.



Economy Split Cowhide Stick Glove with Palm Guard, Blue

- Economy split cowhide
- Exclusive CushionCore™ padded liner
- Extra wide palm reinforcement
- Durable Dupont™ Kevlar® stitching

113 L



Economy Split Cowhide Stick Glove with Palm Guard, Gold

- Economy split cowhide
- Exclusive CushionCore™ padded liner
- Extra wide palm reinforcement
- Durable Dupont™ Kevlar® stitching

115 L



Economy Split Cowhide Stick Glove, Orange

- Split cowhide
- Cotton lined for comfort
- Durable Dupont™ Kevlar® stitching

112 L



Economy Split Cowhide Stick Glove

- Economy split cowhide
- Cotton fleece lining

1115 L

Premium Pigskin & Cowhide MIG Glove

Premium grain pigskin palm and cowhide back offer a value-conscious combination of dexterity and durability. Also available with cut-resistant ANSI/ISEA 105 A5 liner.

BM88	S-3XL
BM88CR	M-2XL Cut Resistant (A5)



BM88CR



Seamless index finger

Fully lined and padded pigskin palm

BM88

Durable Dupont™ Kevlar® stitching

Exclusive RestPatch® wrist padding

Exclusive DragPatch® side padding



Grain Cowhide MIG Glove with Reinforced Palm & Thumb

- Grain cowhide palm with split cowhide back
- Reinforced patched palm, thumb, & index finger
- Exclusive DragPatch® side padding
- Exclusive RestPatch® wrist padding
- Durable Dupont™ Kevlar® stitching

GM1611-WT S-2XL



Premium Reversed Grain Deerskin MIG Glove

- Soft & lightweight premium grain deerskin
- Comfortable smooth grain is against the palm
- Exclusive CushionCore™ padded liner
- Unlined palm for better dexterity
- Durable Dupont™ Kevlar® stitching

39 XS-2XL



Cowhide gauntlet cuff

Durable Dupont™
Kevlar® stitching

Exclusive DragPatch®
side padding

Lined palm offers extra
heat protection

Seamless index finger

**Premium Goatskin MIG
Glove with DragPatch®**

Ultra-soft premium goatskin provides lightweight protection and excellent hand and finger control for MIG welding.

GM1510-WT S-2XL



**A6 Cut-Resistant Goatskin Palm
MIG Glove**

- Ultra-soft & flexible grain goatskin palm, thumb, & index finger
- Durable split cowhide back
- Cut Level A6
- ANSI/ISEA F1060-08 Heat 2
- Seamless index finger
- Durable Dupont™ Kevlar® stitching

GM1550-WT S-2XL



Cowhide MIG Glove with Side Padding

- Durable grain cowhide palm with split cowhide back
- Cotton palm liner for enhanced comfort
- Cotton foam back liner provides additional heat blocking
- Extra "hot zone" side padding
- Seamless index finger
- Gauntlet cuff for better wrist & forearm protection
- Durable Dupont™ Kevlar® stitching

GM1615-WT S-2XL



**Grain Pigskin Palm MIG Glove
with Side Padding**

- Resilient grain pigskin palm
- Split cowhide back
- Cotton palm liner for enhanced comfort
- Cotton foam back liner provides additional heat blocking
- Extra "hot zone" padding
- Durable Dupont™ Kevlar® stitching

GM1715-TT S-2XL



Premium Grain Cowhide MIG Glove

Grain cowhide offers maximum durability with sufficient dexterity for MIG welding applications.

25 S-2XL



Thinner cut cowhide achieves the right balance of protection & dexterity needed for MIG welding. It performs well against sparks & spatter, but is supple enough to provide necessary finger control. It can be somewhat stiff; however, it breaks in easily.



Premium Grain Pigskin MIG Glove with CushionCore™

- Premium grain pigskin
- Exclusive CushionCore™ padded liner
- Unlined palm
- Durable Dupont™ Kevlar® stitching

39CHMP S-2XL



Grain Pigskin MIG Glove

- Lightweight grain pigskin
- Seamless index finger
- Unlined palm
- Durable Dupont™ Kevlar® stitching

26 S-XL



Grain Cowhide MIG Glove

- Standard grain cowhide
- Unlined to maintain finger control
- Seamless index finger
- Durable Dupont™ Kevlar® stitching

25E S-XL

TIG WELDING GLOVES

Premium Quality & Exceptional Design



Durable Dupont™ Kevlar® stitching

2.8" extended cuff



Unlined palm

Seamless index finger

Pinky & ring finger completely covered in goatskin

FR cotton shell

Fleece lining

Exclusive DragPatch® side padding

Premium Grain Goatskin & FR Cotton TIG Glove

The unique design of the T50 offers best-in-class finger control. The premium sidewall finger design adds flexibility and promotes dexterity.

T50 XS-3XL



GOATSKIN FOR TIG WELDING

Goatskin is lightweight, comfortable, supple, & flexible. Goatskin provides outstanding finger control, while offering natural heat insulation, making it ideal for TIG welding gloves.



AngelFire® Women's Premium Grain Kidskin & FR Cotton TIG Glove

- Cut & sized for a woman's hand
- Premium grain kidskin palm
- FR treated cotton back & lining
- Exclusive DragPatch® side padding
- Unlined palm
- Durable Dupont™ Kevlar® stitching

LT50 XS-XL



Grain Kidskin & Cowhide TIG Glove

- Premium grain kidskin on thumb, ring, & middle fingers
- Durable cowhide everywhere else
- Exclusive DragPatch® side padding
- Exclusive RestPatch® wrist padding
- Durable Dupont™ Kevlar® stitching

BT88 S-2XL

Premium Grain Kidskin TIG Glove with DragPatch®

Premium grain kidskin is very soft. It is one of the thinnest leathers, providing a very high level of finger and hand control. 4" [Standard] cuff offers added wrist protection.

25K	XS-2XL	Standard
24K	S-XL	Short Cuff



Premium Deerskin TIG Glove

- High-quality split deerskin
- Unlined for improved dexterity
- Exclusive DragPatch® side padding
- Durable Dupont™ Kevlar® stitching

25D-BLK	S-XL
----------------	------



Premium Deerskin Short Cuff TIG Glove

- High-quality split deerskin
- Unlined for improved dexterity
- Exclusive DragPatch® side padding
- Durable Dupont™ Kevlar® stitching
- Short cuff can be worn under welding jacket

24D-BLK	S-XL
----------------	------

Durable Dupont™
Kevlar® stitching

Unlined for improved
dexterity

Seamless index finger



35KE

Soft grain
kidskin leather

Grain Kidskin TIG Glove

Made with high-dexterity grain kidskin for exceptional finger control. The unlined design maintains overall hand dexterity.

35KE S-XL Standard Cuff

34KE S-XL Short Cuff



34KE



Grain Goatskin TIG Glove

- Grain goatskin for added durability
- Unlined for dexterity
- Durable Dupont™ Kevlar® stitching

25G S-XL



Classic Grain Kidskin TIG Glove

- Soft grain kidskin
- Seamless index finger
- Durable Dupont™ Kevlar® stitching

35K S-XL



Grain Kidskin TIG Glove with CushionCore™ and DragPatch®

- Soft grain kidskin
- Exclusive DragPatch® side padding
- Exclusive CushionCore™ padded liner on back
- Seamless index finger
- Durable Dupont™ Kevlar® stitching

35KF S-2XL



A6 Cut-Resistant Kidskin TIG Glove

- Super supple kidskin
- Seamless index finger
- Straight thumb design for better grip
- Cut level A6; Abrasion 3; Puncture 4
- Durable Dupont™ Kevlar® stitching

35KCR S-2XL

ANSI/ISEA 105





MORE GLOVES

Mechanics Gloves	50-55
Drivers Gloves	56-63
Coated Gloves	64-67
Leather Palm Work Gloves	68



ToolHandz® MAX A7 Cut-Resistant Mechanics Glove with Dot Grip System

Offers a high level of cut protection on the palm (Cut Level A7), the maximum level of testable abrasion protection (Level 6), and the maximum level of blunt probe puncture resistance (Level 5). PVC dot system on synthetic palm offers improved grip even in wet and oily conditions.

GX2126-OB S-2XL



WINTER version available, see pg. 70

TPR pads protect back of hand & fingers

Synthetic leather palm with PVC dot system

ToolHandzMAX
MECHANICS GLOVES

All the protection, comfort, quality, & value you expect from Black Stallion®...to the MAX. Extreme cut, abrasion, & puncture resistance, impact protection, & more give you MAXimum confidence to get the job done.



ToolHandz® MAX A2 Cut-Resistant Mechanics Glove with Dot Grip System

- Synthetic leather palm; spandex back
- TPR impact protection on back of hand
- PVC dot system on palm for enhanced grip
- Cut Level A2 palm liner
- Abrasion 6; Puncture 4

GX2025-YB S-2XL



ToolHandz® MAX A7 Cut-Resistant Mechanics Glove with Anti-Vibration Palm Pads

- Synthetic leather palm; spandex back
- TPR impact protection on back of hand
- Vibration-dampening palm pads
- Cut Level A7 palm liner
- Abrasion 5; Puncture 4

GX2327-OB S-2XL



ARC-Rated Goatskin & FR Cotton Mechanics Glove

A multi-purpose, multi-protection glove for industrial, fabrication, equipment operation, and more. The supple grain goatskin palm provides durable protection, while offering the dexterity needed for spot welding, precision tool work, or machine operation. The flame-resistant cotton back of the glove provides a snug but flexible fit.

GX5015-NW S-2XL



ToolHandz® Anti-Impact Mechanics Glove with BumpPatch™


- Padded vibration-dampening palm
- ShokBlok™ 2 rubber guards for light impact protection
- Exclusive BumpPatch™ side padding
- Snug fit with TPR cuff strap

GX100 M-2XL



Glove Sizing

To determine a glove size, measure (in inches) around the hand with a tape measure across the palm. For best results, measure the dominant hand. Compare the measurement to the table below to find the corresponding glove size.



Glove Size Chart							
SIZE	XS	S	M	L	XL	2XL	3XL
Men's	6" - 7"	7" - 8"	8" - 9"	9" - 10"	10" - 11"	11" - 12"	12" - 13"
Women's	6" - 7¼"	7¼" - 7½"	7½" - 7¾"	7¾" - 8"	8" - 8¼"	-	-

To accommodate extra-long fingers and/or fingernails, please consider choosing one size up.



ToolHandz® Plus Original Mechanics Glove

Ideal for general hand protection, our best-selling mechanics glove features lightweight and durable synthetic leather with reinforced palm and fingertips. Now with touch screen compatibility to use smart phones, tablets and other touch devices while protecting your hands.

99PLUS-BLK	S-3XL	Black
99PLUS-BLUE	S-2XL	Blue



[99PLUS-BLK only]



ToolHandz® Hi-Vis Grain Pigskin Mechanics Glove

- Grain pigskin palm
- Snug spandex back
- Sure-grip reinforced palm & fingertips
- Reflective tape on knuckles
- TPR cuff strap with hook & loop closure

99HV S-2XL



ToolHandz® Grain Pigskin Mechanics Glove with Reinforced Palm

- Grain pigskin leather palm
- Snug spandex/neoprene back
- Sure-grip reinforced palm & fingertips
- Sidewall finger construction
- TPR cuff strap cuff with hook & loop closure
- Convenient sweat wipe
- Flexible padded knuckle strap

99ACE-P S-2XL



WINTER version available, see pg. 70

ToolHandz® Grain Goatskin Mechanics Glove with Reinforced Palm

The supple grain goatskin palm provides durable protection, while offering the dexterity needed for precision tool work, machine operation, and more.

99ACE-G S-2XL



GOATSKIN MECHANICS GLOVE

Goatskin is a strong, durable leather with a smooth fine grain. It is flexible, comfortable, & water-resistant. It is a popular alternative leather for mechanics gloves.



ToolHandz® High-Dexterity Grain Goatskin Mechanics Glove

- Grain goatskin palm & fingers
- Snug spandex back
- Unlined palm for better dexterity

99G-BLUE S-2XL



ToolHandz® Soft Grain Deerskin Mechanics Glove

- Premium grain deerskin palm & fingers
- Snug spandex/neoprene back
- Convenient sweat wipe
- Unlined palm for better dexterity

99DEER S-2XL




ToolHandz® CORE Multi-Use Mechanics Glove

Cost-conscious, cool, & comfortable general-purpose mechanics glove.

GX4540-BK S-2XL

WINTER version available, see pg. 70



Flexible birdseye spandex back

ToolHandz CORE
MECHANICS GLOVES

The essential comfort and performance you expect from Black Stallion® -- with the bottom-line value you demand. ToolHandz® CORE gloves feature the QUALITY materials & design you need to get the job done.



ToolHandz® CORE Multi-Use Impact-Resistant Mechanics Glove

- Cool & comfortable synthetic leather palm
- Flexible birdseye spandex back
- TPR impact protection on back of hand
- TPR cuff strap with hook & loop closure
- Double-stitched thumb reinforcement

GX4541-BK S-2XL



ToolHandz® CORE Mossy Oak® Multi-Use Mechanics Glove

- Cool & comfortable synthetic leather palm
- Mossy Oak® Break-Up Country® birdseye spandex back
- TPR cuff strap with hook & loop closure
- Double-stitched thumb reinforcement
- Reinforced fingertips

GX4640-MB S-2XL

WINTER version available, see pg. 70



Economy Mechanics Glove with Palm Patch Reinforcements

- Synthetic leather palm
- Spandex/neoprene back
- Palm patch reinforcements

19FX-BLK S-2XL

ToolHandz® CORE Grain Pigskin Palm Mechanics Glove

Multi-purpose mechanics glove with durable, supple grain pigskin palm.

GX4040-BY S-2XL



WINTER version available, see pg. 71



ToolHandz® CORE Grain Cowhide Palm Mechanics Glove

- Tough & durable grain cowhide palm
- Flexible birdseye spandex back
- TPR cuff strap with hook & loop closure
- Double-stitched thumb reinforcement
- Cowhide inserts on back of all fingertips

GX4140-BW S-2XL



ToolHandz® CORE Goatskin Palm Mechanics Glove

- Supple & strong goatskin palm
- Flexible birdseye spandex back
- TPR cuff strap with hook & loop closure
- Double-stitched thumb reinforcement
- Goatskin inserts on back of all fingertips

GX4240-BW S-2XL



Grain Cowhide Economy Mechanics Glove

- Grain cowhide palm
- Heavy-duty spandex back

19C M-XL



Grain Goatskin Mechanics Glove

- Grain goatskin palm
- Leather reinforcements
- Spandex back

GX3020-BW S-2XL



Premium Grain Elkskin Drivers Glove

Premium grain extra-thick elk skin leather provides unsurpassed softness. Softer and more naturally padded than other leathers, elk skin molds to the wearer's hand and remains soft even when hot and wet.

17 S-XL

 **WINTER** version available, see pg. 72



ELKSKIN FOR DRIVERS GLOVES

Elkskin provides exceptional heat and abrasion resistance, while remaining soft and comfortable. It is naturally resistant to oils and moisture.



 **WINTER** version available, see pg. 72


Premium Deerskin Drivers Glove

- Durable deerskin
- Shirred elastic back
- Ergonomic keystone thumb
- Inside seam protects thread

i17 S-XL

Glove Sizing

To determine a glove size, measure (in inches) around the hand with a tape measure across the palm. For best results, measure the dominant hand. Compare the measurement to the table below to find the corresponding glove size.



Glove Size Chart							
SIZE	XS	S	M	L	XL	2XL	3XL
Men's	6" - 7"	7" - 8"	8" - 9"	9" - 10"	10" - 11"	11" - 12"	12" - 13"
Women's	6" - 7¼"	7¼" - 7½"	7½" - 7¾"	7¾" - 8"	8" - 8¼"	-	-

To accommodate extra-long fingers and/or fingernails, please consider choosing one size up.



ARC-Rated Cowhide & FR Cotton Utility Glove

With an ATPV of 30 cal/cm² the A61 can be used as part of a PPE CAT 3 program for work with potential exposure to energized electrical equipment.

A61 S-2XL



NFPA 70E

ARC FLASH PROTECTION

The A61 & A62 help protect hands from arc flash injuries. The proper protective gloves are mandatory for work with potential exposure to energized electrical equipment.

ARC-Rated & Cut-Resistant Cowhide & FR Cotton Utility Glove

- Durable grain cowhide palm & fingertips
- 12 oz. flame-resistant cotton back
- 6.5 oz. cut-resistant para-aramid liner
- Exclusive DragPatch® side padding
- 14" long with extended cuff
- Cut Level A2
- NFPA 70E; ATPV 26 cal/cm² (PPE Cat 3)
- Durable Dupont™ Kevlar® stitching

A62 S-2XL





Grain Cowhide Palm Drivers Glove

Ideal for spot welding, the 97K combines a grain cowhide palm for durability with a value-conscious split cowhide back. Available with Dupont™ Kevlar® stitching (97K) or cotton stitching (97).

97K	S-3XL	Kevlar® Stitching
97	S-XL	Cotton Stitching



COWHIDE FOR DRIVERS GLOVES

Cowhide is a classic choice for drivers gloves. It is durable and flexible enough to tackle any job. Grain cowhide offers better softness and dexterity than split cowhide. It offers the right balance of performance & value.



Cowhide Drivers Glove with Reinforced Palm

- Grain cowhide palm with a split cowhide back
- Reinforced palm
- Wing thumb
- Seamless index finger
- Durable Dupont™ Kevlar® stitching

97SW S-2XL



ARC-Rated & A6 Cut-Resistant Cowhide Drivers Glove

- Grain cowhide palm with a split cowhide back
- Cut Level A6
- NFPA 70E; ATPV 22 cal/cm² (PPE Cat 2)
- Keystone thumb
- Outside seam
- Durable Dupont™ Kevlar® stitching

97KCR S-2XL



Premium Grain Cowhide Drivers Glove

Constructed of premium grain cowhide leather, offering the right balance of performance and value. Cowhide is tough and durable, but breaks in easily for a soft feel. Designed for work in transportation, heavy machine operation, material handling, and general industrial.

91 S-XL



A6 Cut-Resistant Grain Cowhide Drivers Glove

- Premium grain cowhide
- Cut Level A6; Puncture 4
- NFPA 70E; 54 cal/cm² (PPE Cat 4)
- Shirred elastic wrist for a snug fit
- Inside seam protects thread
- Ergonomic keystone thumb

91CR S-2XL



A6 Cut & Impact Resistant Grain Cowhide Drivers Glove

- Premium grain cowhide
- Cut Level A6; Puncture 4
- NFPA 70E; 54 cal/cm² (PPE Cat 4)
- Highly flexible impact-resistant TPR on back of hand & all fingers
- Inside seam protects thread
- Ergonomic keystone thumb

91CRI S-2XL





Shirred elastic wrist

Ergonomic keystone thumb

Durable grain cowhide

Classic Grain Cowhide Drivers Glove

A classic drivers glove design for lightweight, resilient general protection.

93 S-2XL



WINTER version available, see pg. 72



Premium Grain Cowhide Drivers Glove with Seamless Index Finger

- Premium grain cowhide
- Wing thumb
- Seamless index finger

92 S-XL



Performance Pigskin Drivers Glove

- Durable grain pigskin
- Ergonomic keystone thumb
- Inside seam protects thread

9P S-XL



WINTER version available, see pg. 72



Premium Grain Cowhide Drivers Glove with Pull Strap

- Premium grain cowhide
- Pull strap cuff
- Ergonomic keystone thumb
- Inside seam protects thread

95 S-XL



Premium Cowhide Drivers Glove with Reinforced Palm

- Durable grain cowhide
- Reinforced palm patch
- Ergonomic keystone thumb
- Inside seam protects thread

91DP S-2XL

Premium Grain Goatskin Drivers Glove

Soft and supple premium grain goatskin offers excellent dexterity, with superior abrasion resistance.

9G S-XL



A5 Cut Resistant Premium Grain Goatskin Drivers Glove

- Lightweight, supple, & comfortable grain goatskin
- Cut Level A5; Abrasion 4; Puncture 3
- Inside seam protects thread
- Fully lined for additional comfort
- Shirred cuff for a snug fit
- Ergonomic keystone thumb

9GCR S-2XL



A5 Cut & Impact Resistant Premium Grain Goatskin Drivers Glove

- Lightweight, supple, & comfortable grain goatskin
- Cut Level A5; Abrasion 4; Puncture 3
- Highly flexible impact-resistant TPR on back of hand & all fingers
- Inside seam protects threads
- Fully lined for additional comfort
- Ergonomic keystone thumb

9GCRI S-2XL





Grain Cowhide Palm Drivers Glove with Split Cowhide Back

With strong grain cowhide on the palm and abrasion-resistant split cowhide on the back, the 87K (with Dupont™ Kevlar® stitching) and 87 (with cotton stitching) are reliable drivers gloves for a variety of industrial applications.

87K	S-2XL	Kevlar® Stitching
87	S-2XL	Cotton Stitching



Grain Goatskin & Split Cowhide Drivers Glove

- Durable goatskin palm
- Rugged cowhide back
- Ergonomic keystone thumb
- Inside seam protects thread

9GB	S-XL
------------	------



Performance Grain Goatskin Drivers Glove

- Grain goatskin
- Straight thumb design
- Inside seam protects thread

9GE	S-XL
------------	------

Economy Grain Cowhide Drivers Glove

The 94 provides economy-level performance in a classic drivers glove style.

94 S-XL



Cowhide Drivers Glove with Pull Strap

- Durable grain cowhide
- Pull strap cuff
- Ergonomic keystone thumb
- Outside seam

96 S-XL



Economy Grain Pigskin Drivers Glove

- Grain pigskin
- Straight thumb
- Outside seam

9PB S-XL



13-gauge High Performance Polyethylene (HPPE) knit blend

Cut Level A6; Abrasion 6; Puncture 4



Thumb patch reinforcement

Hi-visibility red sandy nitrile palm & fingers

Impact-resistant & super flexible TPR backing

AccuFlex™ A6 Cut & Impact-Resistant Nitrile-Coated Knit Glove


With an HPPE knit blend that includes steel and fiberglass fibers, the GR5040-HR offers outstanding cut resistance. Thermoplastic Rubber Pads (TPR) protect the back of the hand and all fingers from common workplace impacts.

GR5040-HR S-2XL



HPPE Knit Blend for Outstanding Cut Resistance

Strong nylon threads are wrapped around a core of fiberglass and stainless steel fibers. The nylon threads are covered by a layer of high-performance polyethylene (HPPE) to maximize protection.



AccuFlex™ A6 Cut-Resistant Nitrile-Coated Knit Glove

- 13-gauge High Performance Polyethylene (HPPE) knit blend
- Hi-vis red sandy nitrile palm & fingertips
- Cut Level A6; Abrasion 6; Puncture 4
- Color-coded binding for size ID
- Comfortable seamless cuff

GR5030-HR S-2XL



AccuFlex™ A6 Cut-Resistant 18g Nitrile Knit Glove

- Lightweight 18-gauge HPPE knit blend
- Sandy nitrile coated palm & fingers
- Cut Level A6; Abrasion 5; Puncture 3
- Reinforced thumb crotch
- Touch screen compatible fingertips
- Color-coded binding for size ID

GR6030-GB S-2XL



AccuFlex™ A4 Cut-Resistant Nitrile-Foam Knit Glove

The nitrile-foam coating provides a superior grip in wet, dry, and light oil conditions.

GR3031-GB S-2XL



Color-coded binding for size ID

Textured nitrile-foam coating



15-gauge HPPE knit blend



Cut Level A4;
Abrasion 4;
Puncture 3



AccuFlex™ A5 Cut Resistant Sandy Nitrile Coated Glove

- 13-gauge HPPE knit blend
- Black sandy nitrile palm & fingertips
- Cut Level A5; Abrasion 6; Puncture 5
- Seamless cuff
- Color-coded binding for size ID

GR4030-HB S-2XL



AccuFlex™ A4 Cut-Resistant PU-Coated Knit Glove

- 15-gauge HPPE knit blend
- Flexible PU coating
- Cut Level A4; Abrasion 3; Puncture 4
- Excellent wet/dry grip
- Color-coded binding for size ID

GR3035-GY S-2XL



AccuFlex™ A5 Cut-Resistant Terry Lined Nitrile-Coated Winter Knit Glove

- Comfortable 15-gauge HPPE knit blend
- Warm 10-gauge acrylic terry liner
- Cut Level A5; Abrasion 6; Puncture 4
- Sandy nitrile coated palm and fingers
- Superior grip for cold wet/dry use
- Color-coded binding for size ID

GR4545-HB S-2XL





GC1525-GB

AccuFlex™ 15-Gauge Nylon/Spandex Nitrile Micro-Foam Knit Glove

The thin but strong 15-gauge nylon/spandex knit shell provides exceptional dexterity for work with small items and tools. And, the nitrile-foam coating offers excellent grip. Available with nitrile-foam palm (GC1525-GB) or with micro-dots on palm for an even better grip experience (GC1526-GB).

GC1525-GB	S-2XL	Foam Grip
GC1526-GB	XS-2XL	Dot Grip



Micro-dot palm pattern for exceptional grip

GC1526-GB



AccuFlex™ Double Latex Terry-Lined Cold Weather / Cold Storage Knit Glove

- Comfortable 15-gauge polyester knit
- Water-resistant latex coating keeps hands dry
- Sandy latex-coated palm & fingertips
- 7-gauge terry liner to keep hands warm
- Cut Level A2
- EN511 X21 rated for contact cold & water penetration

GC2634-OA S-2XL



AccuFlex™ Water-Repellent Double Latex Knit Glove

- Breathable 15-gauge polyester knit
- Sandy latex-coated palm & fingers
- Additional full latex coating
- Superior dexterity & comfort

GC2534-BL S-2XL



Atlas™ Rubber-Coated Cotton/Poly String Knit Glove

- Ergonomic curved design
- Flexible rubber coating
- Comfortable seamless liner

2300 S-XL



AccuFlex™ 3/4 Latex-Coated Acrylic Terry Knit Glove

- Warm 10-gauge acrylic terry liner
- 3/4 dip crinkle latex coating
- Superior grip for cold wet/dry use
- Color-coded binding for size ID

GC4145-HB S-2XL



AccuFlex™ 10-Gauge Latex-Coated Poly Knit Glove

- Breathable 10-gauge polyester knit shell
- Durable crinkle latex palm coating
- Outstanding grip & tear resistance
- Seamless slip-on knit cuff
- Color-coded binding for size ID

GC1110-BL S-XL



AccuFlex™ 13-Gauge PU-Coated Nylon Knit Glove

- High-dexterity 13-gauge nylon knit
- Flexible polyurethane palm & finger coating
- PU coating provides excellent dexterity & abrasion resistance
- Color-coded binding for size ID

GC2035-GY S-2XL



AccuFlex™ Nitrile Foam Coated 13-Gauge Nylon Knit Glove

- 13-gauge high-dexterity nylon knit is lightweight, breathable, & comfortable
- Palm & fingertips coated with tough foam nitrile
- Foam nitrile is spongy for a better wet grip
- Color-coded binding for size ID

GC2038-GY S-2XL



AccuFlex™ 13-Gauge Nitrile-Coated Nylon Glove

- 13-gauge knit construction
- Palm & fingers coated with smooth nitrile
- Color-coded binding for size ID

GC2030-GY S-2XL



AccuFlex™ 13-Gauge PU-Coated Poly Knit Glove

- Breathable 13-gauge polyester knit
- Flexible polyurethane palm & finger coating
- PU coating provides excellent dexterity & abrasion resistance
- Good grip in dry conditions
- Color-coded binding for size ID
- Not tagged or labeled for individual sale

GC3135-GY S-2XL





Side Split Cowhide Work Glove with Patched Palm

- Side split cowhide palm & knuckle strip
- Palm patch
- Rubberized short cuff

5Y L



Classic Split Cowhide Work Glove

- Shoulder split cowhide palm
- Shirred elastic wrist
- Leather knuckle strip

5B S-2XL



Premium Shoulder Split Cowhide Work Glove with Full Leather Back

- Select shoulder split cowhide
- Full leather hand coverage

5FB L Short Cuff

8FB L Long Cuff

5FB

8FB



Padded Double Palm Split Cowhide Work Glove

- Shoulder split cowhide
- Padded double palm
- Rubberized short cuff

6DP L



Shoulder Split Cowhide Work Glove

- Thicker shoulder split cowhide palm
- Shirred elastic wrist
- Leather knuckle strip

6B L



Rugged Split Cowhide Work Glove

- Side split cowhide palm & knuckle strip
- Durable Dupont™ Kevlar® stitching
- Short cuff

5A S-XL



Side Split Cowhide Work Glove with Full Leather Back

- Side split cowhide
- Full leather hand coverage
- Durable Dupont™ Kevlar® stitching
- Short cuff

5F L



Classic Split Cowhide Work Glove

- Shoulder split cowhide palm & knuckle strip
- Shirred elastic cuff
- Starched short cuff

5BE L



WINTER GLOVES

WINTER COLD WEATHER GLOVES

Insulated Mechanics Gloves



Flexible spandex back

Cut Level A7 liner; Abrasion 6; Puncture 5

Convenient pull tab makes it easy to put glove on

Fleece insulation with water barrier

PVC dot system on palm improves grip

TPR pads protect back of hand & fingers

ToolHandz® MAX A7 Cut-Resistant Winter Mechanics Glove

Offers a high level of cut protection on the palm (Cut Level A7), the maximum level of testable abrasion protection (Level 6), and the maximum level of blunt probe puncture resistance (Level 5). PVC dot system on synthetic palm offers improved grip even in wet conditions. And it includes fleece insulation with a protective water barrier for cold and wet weather protection.

GW2226-0B S-2XL



ToolHandz® Water-Resistant Hi-Vis Winter Mechanics Glove

- Synthetic leather palm with reinforcements
- Hi-vis spandex back
- Protective guards & padding
- Multiblend™ insulation
- Water-resistant lining
- Cuff strap with hook & loop closure

GW101 M-2XL



Winter Mechanics Glove with Storm Cuff

- Synthetic leather padded palm
- Hi-vis spandex back with reflective strip
- Multiblend™ insulation
- Water-resistant lining
- Storm cuff

15HV S-2XL



ToolHandz® CORE Multi-Use Winter Mechanics Glove

- Soft & comfortable synthetic leather palm
- Flexible birdseye spandex back
- Fleece lining helps keep hands warm
- TPR cuff strap with hook & loop closure
- Double-stitched thumb reinforcement

GW4540-BK S-2XL



ToolHandz® CORE Mossy Oak® Winter Mechanics Glove

- Soft & comfortable synthetic leather palm
- Mossy Oak® Break-Up Country® birdseye spandex back
- Fleece lining helps keep hands warm
- TPR cuff strap with hook & loop closure
- Double-stitched thumb reinforcement

GW4640-MB S-2XL

ToolHandz® Pigskin Insulated Winter Mechanics Glove

Grain goatskin palm winter mechanics glove with genuine Thinsulate™ insulation for warmth and comfort.

99ACE-PW S-2XL

Thinsulate
INSULATION

Warm & comfortable
Thinsulate™ insulation

Convenient
Sweat wipe

Spandex/
neoprene
back

Premium
grain pigskin
palm & fingers

Palm &
fingertip grip
reinforcements



Thinsulate
INSULATION

Original 3M™ Thinsulate™ insulation is warm, lightweight, & thin. It helps trap and hold body heat, while allowing moisture to escape. Gloves 99ACE-PW, 17T, & i17T include genuine Thinsulate™ insulation.



Pigskin Water-Resistant Winter Glove

- Reinforced premium grain pigskin palm
- Polar fleece back
- Multiblend™ insulation
- Water-resistant lining
- Storm cuff

15FH-MAX2 S-XL



Split Cowhide Polar Fleece Winter Glove

- Split cowhide palm
- Polar fleece back

15FH-GRAY S-2XL



Grain Pigskin & Polar Fleece Winter Glove

- Grain pigskin palm
- Polar fleece back
- Multiblend™ insulation

15FH-BLK S-XL



ToolHandz® CORE Pig Grain Palm Winter Mechanics Glove

- Grain pigskin palm
- Flexible birdseye spandex back
- Fleece lining helps keep hands warm
- TPR cuff strap with hook & loop closure
- Double-stitched thumb reinforcement

GW4040-BY S-2XL

Insulated Drivers Gloves



Fleece Insulated Cowhide Winter Drivers Glove

Grain cowhide provides durability, with natural insulation properties. The fleece lining helps keep your hands warm.

93W S-2XL

Ergonomic keystone thumb

Comfortable fleece insulation

Grain cowhide



Premium Elkskin Winter Drivers Glove

- Premium grain elkskin
- Thinsulate™ insulation
- Shirred elastic back
- Ergonomic keystone thumb
- Inside seam protects thread

17T S-XL

Thinsulate
INSULATION



Premium Deerskin Winter Drivers Glove

- Durable deerskin
- Thinsulate™ insulation
- Shirred elastic back
- Ergonomic keystone thumb
- Inside seam protects thread

i17T S-XL

Thinsulate
INSULATION



Premium Grain Pigskin Winter Drivers Glove

- Lightweight grain pigskin
- Fleece insulation
- Ergonomic keystone thumb
- Inside seam protects thread

9PW S-2XL



AccuFlex™ A5 Cut-Resistant Terry Lined Nitrile-Coated Winter Knit Glove

- Comfortable 15-gauge HPPE knit blend
- Warm 10-gauge acrylic terry liner
- Cut Level A5
- Sandy nitrile coated palm & fingers
- Superior grip for cold wet/dry use
- Color-coded binding for size ID

GR4545-HB S-2XL



AccuFlex™ ¾ Latex-Coated Acrylic Terry Knit Glove

- Warm 10-gauge acrylic terry liner
- ¾ dip crinkle latex coating
- Superior grip for cold wet/dry use
- Color-coded binding for size ID

GC4145-HB S-2XL



AccuFlex™ Double Latex Terry-Lined Winter Knit Glove

- Comfortable 15-gauge polyester knit
- 7-gauge terry lined to keep hands warm
- Full latex coating keeps hands dry
- Sandy grip coated palm & fingertips
- Cut Level A2
- Color-coded binding for size ID

GC2634-OA S-2XL



Moisture-Wicking Knit Glove Liner

- Moisture-wicking thermal knit
- Reversible

2121-BLU L Blue

2121 L White

2121-BLU



2121



Pigskin Winter Work Glove with Storm Cuff

- Resilient grain pigskin palm & knuckle strip
- Nylon back
- Multiblend™ insulation
- Storm cuff

6LPK S-XL



Heavy Side Split Cowhide Winter Work Glove

- Durable, heavy side split cowhide palm & knuckle strip
- Palm patch reinforcement
- Cotton fleece lining
- Rubberized short cuff

5YW L



Grain Pigskin Palm Winter Work Glove

- Grain pigskin palm & knuckle strip
- Multiblend™ insulation

5LP S-XL



Cowhide Water-Resistant Winter Work Glove

- Split cowhide palm
- Water-resistant lining
- Multiblend™ insulation

5LWP L-2XL





Vermiculite Fiberglass Backpad

The vermiculite bottom layer offers improved resistance to direct flame; heat travels across the fabric, not through it.

BP-VC 6" W x 8" H



Carbon Fiber Backpad

- Flame-resistant carbon fiber felt bottom layer
- Aluminized fiberglass top layer
- Leather & elastic straps

BP-CB 6" W x 8" H



Oversized Aluminized Fiberglass & Carbon Felt Backpad

- Carbon fiber felt bottom layer
- Aluminized fiberglass top layer
- Extra layer of fiberglass padding
- Leather straps
- Oversized: 7" x 8.5"

BP-CX 7" W x 8.5" H



Heavy-Duty Insulated Backpad

- Neoprene coated fiberglass bottom layer
- Extra 1/2" layer of fiberglass insulation
- Aluminized fiberglass top layer
- Leather & elastic straps

BP-DX 6" W x 8" H



Aluminized Fiberglass Backpad

- Neoprene coated fiberglass bottom layer
- Aluminized fiberglass top layer
- Leather & elastic straps

BP 6" W x 8" H

FR Wrap-Around Helmet Bib

The lightweight double-layer FR cotton helmet bib features wrap-around coverage that blocks more sparks, heat, and UV rays. The extended front provides extra protection and reduces annoying chest glare.

AH2140-NS Sold in 12-Pack Counter Display Box



Innovative packaging can be used as a counter-top display for quick & easy sales



Welding helmet not included

6 push-on clips provide secure hold on most welding helmets

Wrap-around coverage blocks more sparks, heat, & UV rays



Reversible double-layer FR cotton

Extended front



BSX® Helmet Sweatband

- Cushioned for comfort
- Designed for non-suspension headgear
- 2 per pack

BC55B-BK One Size



Welding helmet not included

Split Cowhide Wrap-Around Helmet Bib

- Durable split cowhide leather
- Wrap-around coverage blocks more sparks, heat, & UV rays
- Extended front coverage provides extra protection & reduces chest glare
- 6 push-on clips provide secure hold on most welding helmets
- Doesn't block vision when helmet is raised

AH5040-BK One Size

WELDING HEADWEAR

Flame-Resistant Welding Caps



FR Cotton Welding Cap with Hidden Bill Extension

Constructed of a unique combination of single-layer and stretch knit 7 oz. FR cotton to provide lightweight protection from sparks, with less heat trapping.

AH1630-GS S-L Gray/Stone Khaki

AH1630-NG S-L Navy/Gray

AH1730-BL S-L Blue Plaid



Wider & longer bill offers more neck protection from arc/sun UV rays



Hidden bill flap provides extra neck protection when extended over jacket collar

Welding Cap Sizing (AH1630, AH1730, AH1631)

SIZE	HEAD SIZE AT EYEBROW	HAT SIZE
Small	21" - 21.5"	6 3/4 - 6 1/2
Medium	21.5" - 23"	6 1/2 - 7 1/4
Large	23" - 25.5"	7 3/4 - 8



BSX® Silicone Grip FR Cotton Welding Cap

Constructed of lightweight 7 oz. flame-resistant cotton to provide protection from sparks, with less heat trapping. The larger cap bill offers extra protection from sparks and UV rays and includes a hidden flap that can be extended as needed for even more neck protection.

AH1631-NB S-L Navy/Black



Silicone Grip Strip on forehead offers a more secure fit

Exclusive “Sticker Collage” Cotton Welding Beanie & Welding Cap

Keep it cool and comfortable under your hood with our new “Sticker Collage” Cotton Welding Cap and Beanie. Using our most popular sticker designs from years past, we created a fun fabric perfect for a beanie or cap worn under a welding helmet. Machine washable. Sold by the dozen; tagged for individual resale. Available only at Black Stallion®.

BC5W-SC	One Size Fits Most	Welding Cap
BC5B-SC	One Size Fits Most	Beanie



Double layer construction

Comfortable cotton (not flame-resistant)

Elastic trim for better fit

Neck guard

Comfortable cotton (not flame-resistant)

BC5W-SC



Elastic trim for better fit

BC5B-SC



BC5W-BK



BC5B-BK

BSX® Cotton Welding Cap and Beanie

- Welding Cap features double layer construction & neck guard
- One size fits most

BC5W-BK Welding Cap

BC5B-BK Beanie




BSX® Cotton Doo Rag

- Absorbent forehead padding
- One size fits most

BC5D-BK One Size





SmashPad™ FR Welding Mat

Helps to alleviate aches and pains associated with kneeling, sitting, and leaning during long welding runs. Foam cushioning provides supportive comfort, while the flame-resistant fiberglass outer shell resists sparks. Place it directly on the floor or ground and sit or kneel on it. Use it as an arm prop to reduce hand and arm fatigue. Connect two or more to create a larger padded surface. Easy to clean -- simply wipe off dirt and grime and dry.

AP3015-RG 16" W x 19" L [16" x 9.5" when folded]



Bold, easy to read retail packaging



FlakFinger™ Adjustable Welding Heat Shield

Uses multiple layers of 4.7 ounce fiberglass to provide enhanced heat protection for both fingers and the side of the hand during long welding runs. The versatile design offers multiple protection options. Use for single-finger or two-finger protection. Use on the trigger hand or rod hand (or both). Adjust the length of the sleeve to create a longer or shorter "tail". Position the tail over the back of the hand to get the heat-shielding protection of a back pad. US Patent #D782118.

AT2010-WG Sold in 8-Pack Counter Display Box



Innovative packaging doubles as counter-top display

Split Cowhide Cable Cover with Snap Closure

Our split cowhide cable cover helps extend the life of expensive welding cables and equipment. Snap closure. Available with 1.25" and 1.75" diameter opening. Sold in 5' increments.

134	1.75" Diameter
114	1.25" Diameter



114



C134V

Split Cowhide Cable Cover with Hook & Loop Closure

- 1.75" or 1.25" diameter opening
- Hook & loop closure
- Sold in 5 foot increments
- Stitched with durable FR para-aramid threads

C134V 1.75" Diameter

C114V 1.25" Diameter



Split Cowhide Rod Holder

- Leather rod holder
- Metal swivel clip
- Stitched with durable FR para-aramid threads

RH One Size

Easy Cooling Pipe Wrap

- FR canvas outer layer with 18 oz. fiberglass lining
- Helps control cool down, reducing weld cracking
- Adjustable sizing

AP1010-OD-0608 Fits 6" - 8" Pipes

AP1010-OD-1012 Fits 10" - 12" Pipes

AP1010-OD-1420 Fits 14" - 20" Pipes

AP1010-OD-2228 Fits 22" - 28" Pipes

AP1010-OD-3036 Fits 30" - 36" Pipes

AP1010-OD-4048 Fits 40" - 48" Pipes






WELDING CURTAINS & SCREENS


Welding Curtains

Black Stallion® Welding Curtains provide durable and convenient protection of workers, bystanders, materials, and equipment near active welding. They create a physical barrier that keeps sparks and flying debris contained, while shielding bystanders or employees in the immediate vicinity from the dangerous UV light produced by a welding torch.

You can choose from several curtain options. Our exclusive Saf-Vu™ 14 mil. flame-resistant vinyl is designed to reduce the hazard of UV radiation exposure and is offered in five translucent colors. Curtains are also available in 12 oz. opaque canvas duck for maximum eye protection and extra-thick 40 mil. vinyl for high-abrasion resistance. All curtains meet requirements of NFPA 701 and the California Fire Marshal.



MATERIAL	KEY FEATURES	ROLL WIDTHS	YARDS/ROLL★	ITEM#	STOCK SIZES	OLIVE DRAB	ORANGE	YELLOW	SHADE 8	GREEN	BLUE
Saf-Vu™ 14 mil. Translucent Vinyl	<ul style="list-style-type: none"> Blocks most UV radiation Inhibits viewing from passersby Meets requirements of NFPA 701 	74"	62 yards*	64-1006	6' x 6'	-	6x6V1-ORA	6x6V1-YEL	6x6V1-SH8	6x6V1-GRN	6x6V1-BLU
					6' x 8'	-	6x8V1-ORA	6x8V1-YEL	6x8V1-SH8	6x8V1-GRN	6x8V1-BLU
					6' x 10'	-	6x10V1-ORA	6x10V1-YEL	6x10V1-SH8	6x10V1-GRN	6x10V1-BLU
40 mil. Translucent Vinyl	<ul style="list-style-type: none"> Heavy-duty for high abrasion application Blocks most UV radiation Restricts viewing from passersby Meets requirements of NFPA 701 	48"	50 yards*	64-1008	6' x 6'	-	6x6V401	*Roll length shown is approximate. PLEASE NOTE: Finished screens may vary up to 3 inches in height and width. Stock sizes come with grommets spaced 12 inches apart on all four sides; custom sizes and rolls do not come with grommets. Translucent vinyls are not intended for long term or direct viewing of the welding arc; proper eye protection is recommended.			
					6' x 8'	-	6x8V401				
12 oz. Opaque Canvas Duck	<ul style="list-style-type: none"> Opaque for maximum eyesight protection Flame, water, & mildew resistant Meets requirements of NFPA 701 	72"	100 yards*	64-2005	6' x 6'	-	6x6C1				
					6' x 8'	-	6x8C1				
					6' x 10'	-	6x10C1				



Hardware

64-9083	3' Length
64-9084	4' Length
64-9085	5' Length

Welding Strip Curtains Block 99% of UV Radiation

Verilon® strip curtains block over 99% of UV radiation (200–400 nm) and are suitable for welding, spraying, grinding, and sand blasting enclosures. The curtains are flame-resistant, highly transparent, and noise deadening, while preventing dangerous near-UV and UV radiation from penetrating to adjacent areas.

- Available in two widths: 8" width (.08" thickness) & 12" width (.12" thickness)
- 8" strips recommended for walk-in freezers, refrigerator trucks, coolers, & personnel doors
- 12" strips recommended for protection against severe temperature & windy conditions (internal and external)
- Meets CPAI-84 & California Fire Marshal requirements for flame-resistance
- Roll goods & custom sizes available
- Hardware sold separately

Call Today for Details & Distributor Pricing

WELDING SCREENS


QuickFrame™ Standard Welding Screens

3/4" Round Tube Frame


QuickFrame™

STANDARD

QuickFrame™ Standard Screens provide a lightweight solution to portable protection of workers, bystanders, materials, and equipment near active welding. They create a physical barrier that keeps sparks and flying debris contained, while shielding those in the immediate vicinity from the dangerous UV light and radiation produced by a welding torch.



Snap-fit design for easy, tool-free assembly




Brass grommets & nylon ties secure welding curtain to frame



Sturdy square base offers enhanced stability

- Durable black powder-coated galvanized steel **3/4" round tube** framing
- Saf-Vu™ 14 mil translucent vinyl screen offers protection from sparks, UV rays, & radiation
- Snap-fit design for quick & easy assembly without tools
- Sturdy platform legs provide enhanced stability
- Meets requirements of NFPA 701 & California Fire Marshal (CFM)
- Brass grommets & nylon ties secure welding curtain to frame
- Sizes: 6'x6', 6'x8', 6'x10'; call for custom sizes & configurations

Multi-Panel Welding Screens Available




Brass Grommets	Curtain Hooks	Nylon Ties	QuickFrame™ Heavy-Duty Action Hinge	QuickFrame™ Standard Action Hinge	Casters
GR	HK	TIE	SF-AH	RF-HC	CS

	FR TRANSLUCENT VINYL						FR CANVAS	ROUND TUBE
Standard Sizes	Orange	Yellow	Blue	Shade 8	Green	Orange	Olive Drab	
	14 mil.	14 mil.	14 mil.	14 mil.	14 mil.	40 mil.	12 oz.	Frame Only
6' x 6'	6X6VF1-ORA	6X6VF1-YEL	6X6VF1-BLU	6X6VF1-SH8	6X6VF1-GRN	6X6V40F1	6X6CF1	6X6F1
6' x 8'	6X8VF1-ORA	6X8VF1-YEL	6X8VF1-BLU	6X8VF1-SH8	6X8VF1-GRN	6X8V40F1	6X8CF1	6X8F1
6' x 10'	6X10VF1-ORA	6X10VF1-YEL	6X10VF1-BLU	6X10VF1-SH8	6X10VF1-GRN	-	6X10CF1	6X10F1

1" Square Tube Frame
QuickFrame™
HEAVY DUTY

QuickFrame™ Heavy-Duty Screens provide a durable and stable solution for mobile and semi-permanent protection of workers, bystanders, materials, and equipment near active welding. They create a physical barrier that keeps sparks and flying debris contained, while shielding those in the immediate vicinity from the dangerous UV light and radiation produced by a welding torch.


- Durable black powder-coated galvanized steel **1" square tube** framing
- Saf-Vu™ 14 mil translucent vinyl screen provides protection from sparks, UV rays, & radiation
- Snap-fit design for quick & easy assembly without tools
- Sturdy platform legs provide enhanced stability
- Meets requirements of NFPA 701 & California Fire Marshal (CFM)
- Brass grommets & nylon ties secure welding curtain to frame
- Sizes: 6'x6', 6'x8', 6'x10'; call for custom sizes & configurations



Brass grommets & nylon ties secure welding curtain to frame



Sturdy square base offers enhanced stability



Snap-fit design for easy, tool-free assembly

SAVE MONEY TODAY!


Our smaller packaging saves you money on shipping costs

Our Packaging



Competitor's Packaging

Translucent vinyl curtains are not intended for long term or direct viewing of the welding arc. Proper eye protection is recommended. Vinyl curtain material performance varies by color; see blackstallion.com for light transmission graphs for all colors.

	FR TRANSLUCENT VINYL					FR CANVAS	SQUARE TUBE
Standard Sizes	Orange	Yellow	Blue	Shade 8	Green	Olive Drab	
	14 mil.	14 mil.	14 mil.	14 mil.	14 mil.	12 oz.	Frame Only
6' x 6'	6X6VSQF1-ORA	6X6VSQF1-YEL	6X6VSQF1-BLU	6X6VSQF1-SH8	6X6VSQF1-GRN	6X6CSQF1	6X6SQF1
6' x 8'	6X8VSQF1-ORA	6X8VSQF1-YEL	6X8VSQF1-BLU	6X8VSQF1-SH8	6X8VSQF1-GRN	6X8CSQF1	6X8SQF1
6' x 10'	6X10VSQF1-ORA	6X10VSQF1-YEL	6X10VSQF1-BLU	6X10VSQF1-SH8	6X10VSQF1-GRN	6X10CSQF1	6X10SQF1



Choosing the Right Welding Blanket

When selecting the right blanket for the job, it is important to consider Material, Material Weight, Coating, and Intended Use.

MATERIAL WEIGHT

As a general rule, thicker materials will provide longer protection and are recommended for flat surfaces; thinner materials are better for vertical planes.

STRESS RELIEF

Select an uncoated material such as Silica for stress relief applications.

COATED/ UNCOATED

Coated materials resist abrasion better, while uncoated blankets are more flexible and can be easily draped around equipment.

What is the Intended Use?

CURTAIN

Intended for use in **VERTICAL** applications with light to moderate exposures.

BLANKET

Intended for use in **HORIZONTAL** applications with light to moderate exposures.

PAD

Designed to be placed directly **UNDER** a hot work operation or **HORIZONTAL** with severe to moderate exposures. The Carbon Fiber Felt shown on page 85 can be used as a pad.

Blanket Grommets

6' SIDE	8' SIDE	10' SIDE
5/EA	6/EA	7/EA
EVERY 17"	EVERY 18.5"	EVERY 19.4"



FM Approved Materials

Our welding blankets have been tested and approved to FM Standards (ANSI/FM 4950).

HEAT CLEANED Fiberglass

Fiberglass offers excellent heat resistance and resists melting up to 1,000°F.

SILICONE Coated Fiberglass

Silicone rubber compound provides greater abrasion and tear resistance.

ACRYLIC Coated Fiberglass

Acrylic coating provides improved tear resistance.

VERMICULITE Coated Fiberglass

Vermiculite coating offers improved resistance to direct flame; heat travels across the fabric, not through it.

SILICA

Silica cloth has excellent thermal insulation characteristics over a wide temperature range and resists melting up to 3,000°F; it also has excellent chemical resistance and electrical insulation properties.

Other Materials (not FM Approved)












SPLIT LEATHER

Cowhide offers excellent heat resistance and resists melting up to 1,000°F.

CARBON Fiber Felt

In addition to excellent high heat resistance, felt is easy to cut and can be conformed to complex curves.

WELDING BLANKETS

								BLANKETS		ROLL GOODS	
	MATERIAL	MATERIAL#	WEIGHT	COLOR	MELT TEMP.	THICKNESS	USAGE GUIDELINES	BLANKET SIZES	ITEM#	ROLL WIDTH	ITEM#
LIGHT DUTY // Welding applications with light sparks and spatter											
	Heat Cleaned Fiberglass	B-WFG18	18 oz.	Tan	1,000°F	.033"	Light Sparks, Vertical Plane Protection Only	6' x 6'	B-WFG18-6x6	40" x 50 yd	WFG18-40
								6' x 8'	B-WFG18-6x8	60" x 50 yd	WFG18-60
								10' x 10'	B-WFG18-10x10		
	Acrylic Coated Fiberglass	B-SNF16	16 oz.	Salmon	1,000°F	.016"	Sparks, Vertical Plane Protection Only	Custom Sizes Only		40" x 50 yd	SNF16-40
										60" x 50 yd	SNF16-60
MEDIUM DUTY // Heavier welding applications with sparks, spatter, and light slag											
	Heat Cleaned Fiberglass	B-WFG24	24 oz.	Tan	1,000°F	.050"	Sparks, Spatter	6' x 6'	B-WFG24-6x6	60" x 50 yd	WFG24-60
								6' x 8'	B-WFG24-6x8		
								10' x 10'	B-WFG24-10x10		
	Heat Cleaned Fiberglass	B-WFG35	35 oz.	Tan	1,000°F	.065"	Sparks, Spatter	6' x 6'	B-WFG35-6x6	60" x 50 yd	WFG35-60
								6' x 8'	B-WFG35-6x8		
	Acrylic Coated Fiberglass	B-NFG24	24 oz.	Gold	1,000°F	.033"	Sparks, Spatter	6' x 6'	B-NFG24-6x6	40" x 50 yd	NFG24-40
								6' x 8'	B-NFG24-6x8		
								8' x 8'	B-NFG24-8x8	60" x 50 yd	NFG24-60
								8' x 10'	B-NFG24-8x10		
								10' x 10'	B-NFG24-10x10		
	Acrylic Coated Fiberglass	B-NFG30	30 oz.	Gold	1,000°F	.065"	Sparks, Spatter	3' x 3'	B-NFG30-3x3	40" x 50 yd	NFG30-40
								4' x 6'	B-NFG30-4x6		
								6' x 6'	B-NFG30-6x6	60" x 50 yd	NFG30-60
								6' x 8'	B-NFG30-6x8		
								8' x 10'	B-NFG30-8x10		
10' x 10'	B-NFG30-10x10										
	Silicone Coated Fiberglass	B-RFG32	32 oz.	Rust	1,000°F	.035"	Sparks, Spatter	Custom Sizes Only		60" x 50 yd	RFG32-60
	Split Leather	B-HCL40	3-3.5 oz.	Pearl	N/A	N/A	Sparks, Spatter	6' x 6'	B-HCL40-6x6		N/A
HEAVY DUTY // Applications with heavy sparks, spatter, and slag											
	Vermiculite Coated Fiberglass	B-SVA18	18 oz.	Tan	3,000°F	.0236"	Sparks, Spatter, Molten Metal	6' x 6'	B-SVA18-6x6	36" x 50 yd	SVA18-36
								6' x 8'	B-SVA18-6x8		
	Silica	B-SCP18	18 oz.	Tan	3,000°F	.030"	Sparks, Spatter, Molten Metal	Custom Sizes Only		36" x 50 yd	SCP18-36
	Vermiculite Coated Fiberglass	B-VCF25	25 oz.	Black	1,200°F	.054"	Heavy Sparks, Spatter, Slag	6' x 6'	B-VCF25-6x6	60" x 50 yd	VCF25-60
								6' x 8'	B-VCF25-6x8		
								8' x 10'	B-VCF25-8x10		
								10' x 10'	B-VCF25-10x10		
	Carbon Fiber Felt	B-CBN16	16 oz.	Black	1,800°F	.170"	Heavy Sparks, Spatter, Slag	6' x 6'	B-CBN16-6x6	72" x 25 yd	CBN16-72
								6' x 8'	B-CBN16-6x8		
EXTRA HEAVY DUTY // Applications with heavy sparks, slag, and molten metal											
	Vermiculite Coated Fiberglass	B-SVA36	36 oz.	Tan	3,000°F	.0433"	Sparks, Heavy Spatter, Molten Metal	6' x 6'	B-SVA36-6x6	36" x 50 yd	SVA36-36
								6' x 8'	B-SVA36-6x8		

All Welding Blankets listed above are available in custom sizes. Contact a customer service representative for details. CAUTION: Temperature and other information for blankets are provided as guidelines only. Applications and conditions vary widely and will impact overall blanket performance. See page 98 for complete disclaimer.

Rivet-reinforced top handle with rubberized grip for sturdy & comfortable transporting

BSX® Extreme Welder's Gearpack

Designed inside and out specifically for welders, the BSX® Gearpack includes lots of storage room and accessory/tool pockets. Our exclusive quick-release HelmetCatch™ provides padded helmet protection, with quick and easy access.

GB100 12" W x 15" L x 19" H



Padded ergonomic straps allow bag to be worn as backpack

Exterior mesh pocket with top cord lock



Compact packaging saves distributors money on shipping costs

Welding helmet & gloves not included



Quick-release padded HelmetCatch™ makes protecting and transporting a helmet a snap



FREE utility carabiner and lunch cooler included (inside Gearpack)



Welder's Toolbag

- Large interior fits welding helmet, jacket, gloves, grinder, tools, & more
- Top-opening zippered flap
- Tool pockets
- Zippered end pocket

GB150 22" L x 12" W x 16" H



BSX® Helmet Utility Bag

- Cool mesh construction
- Zippered inside pocket
- Light padding protects a welding helmet & expensive lens
- Can be worn as a backpack
- Holds most welding helmets

GB200 16.25" W x 21.25" H



PVA Cooling Towel

- Super-absorbent PVA cooling technology
- Relieves effects of heat stress
- Provides cooling feeling as it evaporates
- Soak 3-5 minutes in cool water for up to 4 hours of cooling
- Reactivate several times, simply rewet
- Embossed honeycomb overlay helps towel absorb & retain water
- Included container can be used to store & transport to job site
- 29" x 12"
- Sold in quantities of 6 (6-unit inner box; 24-unit carton)

AH7055-BL Blue



Sherpa Pile Twill Winter Liner

- Cotton twill outer shell
- Warm Sherpa pile lining
- Added neck protection
- Includes pockets to hold heat packs

WL300 One Size



Performance Fleece Lined FR Twill Liner

- FR cotton twill outer shell offers enhanced FR protection
- Thick fleece lining for extra warmth
- Extended neck coverage
- Includes pocket to hold heat packs

WL350 One Size

CUT-RESISTANT SLEEVES

Cut Level A4 Para-Aramid & HPPE Knit Sleeves



A4 Cut-Resistant Para-Aramid Knit Sleeves

Durable double-layer para-aramid knit sleeves offer both Cut Level A4 protection and flame resistance. Available in wrist-to-elbow (18") and wrist-to-bicep (23") sizes. Sold by the pair.

KS-18-YL 18" Length

KS-23-YL 23" Length



PARA-ARAMID CUT & FLAME RESISTANCE

Para-aramid engineered yarns are extremely strong and abrasion resistant. They are lighter than steel, but are 5X stronger on an equal weight basis. In addition to being extremely cut-resistant, para aramid yarns are inherently flame resistant. They will not ignite, melt, or degrade in heat.



KS-18-YL

KS-23-YL



A4 Cut-Resistant Para-Aramid Knit Sleeves with Thumb Slot, Yellow

- Double-layer para-aramid knit
- Superior flame & heat resistance
- Cut Level A4
- Thumb hole keeps sleeve from sliding up
- Machine washable (no bleach)
- 18" wrist to elbow protection or 23" wrist to bicep protection
- Sold by the pair

KS-18T-YL 18" Length

KS-23T-YL 23" Length



A4 Cut-Resistant Para-Aramid Knit Sleeves with Thumb Slot, Black

- Double-layer para-aramid knit
- Superior flame & heat resistance
- Cut Level A4
- Thumb hole keeps sleeve from sliding up
- Machine washable (no bleach)
- 18" wrist to elbow protection or 23" wrist to bicep protection
- Sold by the pair

KS-18T-BK 18" Length

KS-23T-BK 23" Length



A4 Cut-Resistant 18" HPPE Knit Sleeves with Thumb Slot

- 13-gauge HPPE knit blend with fiberglass
- Cut Level A4
- 1" elastic bicep band with silicone grip dots
- 18" wrist to elbow protection
- Sold by the pair

HS-18T-HY 18" Length



Hi-Vis Class 3 Poly Fleece Full-Zip Hooded Sweatshirt

Our NEW JS3050-LB Hi-Vis Full-Zip Hooded Sweatshirt offers the warmth and comfort of poly fleece, while keeping you visible on the job site. Color blocking at the bottom conceals dirt. Reflective tape and hi-vis fabric meet ANSI 107-2020 Type R, Class 3 requirements.
Note: this jacket is not flame resistant.

JS3050-LB M-5XL



- Hood with adjustable pull cords
- 2" reflective tape across torso, sleeves, & over shoulders
- Meets ANSI 107-2020 Type R, Class 3 requirements
- 8 oz. low-pilling polyester fleece
- 2 pouch pockets
- Black color-blocking conceals dirt
- Black elastic knit waistband & cuffs



Hi-Vis Class 2 7-Pocket Hi-Vis Safety Vest

- Surveyor-style safety vest
- Breathable polyester mesh
- ANSI/ISEA 107-2015 Type R, Class 2 high-visibility protection
- 2" reflective tape with contrast poly border
- 5 outside pockets, 3 with flaps, hold tools & other small items
- 2 inside pockets hold small items & documents
- Dual mic tabs allow hand microphone to be secured to either shoulder
- Durable zipper closure provides a secure fit

VS2035-OR S-5XL Orange

VS2035-LM S-5XL Lime



Hi-Vis Class 2 Standard Hi-Vis Safety Vest

- Basic multi-purpose safety vest
- Breathable polyester mesh
- ANSI/ISEA 107-2015 Type R, Class 2 high-visibility protection
- 2" reflective tape across torso and over shoulders
- Exterior chest pocket for radio/phone or other small items
- Inside pocket holds small items & documents
- Mic tab on left shoulder for hand microphone attachment
- Durable zipper closure provides a secure fit

VS2020-OR S-5XL Orange

VS2020-LM S-5XL Lime





UB100

FR Industrial Umbrella

Provides needed shade in and around work sites where FR is required or recommended, including construction, pipe welding, and other industrial applications. UV tested to UPF 50+. NFPA 701 and California Fire Marshal (CFM) compliant. 7' 6" high x 6' 8" wide.

UB100 FR Umbrella Only

UB150 FR Umbrella/ Tripod Stand Combo



FR Umbrella & Tripod Stand Combo (UB150)



Umbrella Tripod Stand

- Heavy-duty steel construction
- Stand is 31" high when opened
- Legs are approximately 49.5" apart when extended
- Holes on feet for anchors
- Nylon carrying case included

UB50 Umbrella Tripod Stand



Umbrella Ground Spike

- 25" length with 11" below-ground spike for a more secure hold
- Easy-insert foot-step provides extra leverage to drive spike into ground
- Universal bracket with thumb screw tightening

UB25 Umbrella Ground Spike

Core FR Industrial Umbrella

The Core FR Industrial Umbrella provides the protection and portability needed for employee health and wellness. Shade is provided by the flame-resistant 300D polyester top that blocks out 98% of harmful UV rays. UV tested to UPF 50+. 7' 3" max height x 7' 6" wide.

UB200-CAM	Core FR Umbrella Only	Camo
UB200-YEL	Core FR Umbrella Only	Yellow/Lime
UB200-BLU	Core FR Umbrella Only	Blue



UV tested to UPF 50+



Camo Pattern



UB200-CAM



UB200-BLU



Tilt mechanism provides directional shading as needed



Durable end caps on ribs help prevent rips & tears

Heavy-duty powder coated steel poles

UB200-YEL



Convenient carry bag with pocket

All Core FR Industrial Umbrellas Available in Combo with Tripod Stand



UB250-YEL FR Umbrella/Tripod Stand Combo, Yellow



UB250-BLU FR Umbrella/Tripod Stand Combo, Blue



UB250-CAM FR Umbrella/Tripod Stand Combo, Camo



HIGH TEMPERATURE PROTECTION

ARC-Rated Flame-Resistant Cotton Balaclava

With both NFPA 2112 & NFPA 70E certification, the AH1520-NV offers both flash fire and arc flash incident protection. One size.

AH1520-NV FR Cotton



Knit Balaclava

- Single layer knit sock hood
- One size

NH100 Nomex® Knit

PRH100 PBI® Knit



Double Layer Knit Balaclava with Neck Drape

- Double layer head protection
- Single layer circular neck drape
- One size
- NH200: NFPA 70E; ATPV 8.9 cal/cm²

NH200 Kevlar® Knit

PRH200 PBI® Knit



(NH200 only)



Knit Balaclava with Front and Back Drapes

- Single layer knit sock hood
- Front & back drapes
- One size

NH300 Nomex® Knit

PRH300 PBI® Knit



Heavy-Duty Nomex® Knit Balaclava

- Double layer Nomex® knit
- Front & back drapes
- NFPA 70E; ATPV ATPV 8.9 cal/cm²
- One size

NH400 Nomex Knit





Para-Aramid Terry Cloth Hi-Temp Glove with Wool Lining

- Para-aramid terry cloth
- Fully lined with wool
- 14" length
- One size

TK114 14" Length



Aluminized Carbon & Para-Aramid Hi-Temp Glove

- Aluminized carbon & para-aramid back
- Para-aramid palm
- Fully lined with wool
- One size

AHS714DK 14" Length

AHS718DK 18" Length



DK114

Para-Aramid Hi-Temp Glove

- 22 oz. heat-resistant & strong para-aramid synthetic blend
- Ideal for aluminum extrusion, steel fabrication, & glass manufacturing applications
- One size

DK114 14" Length

DK118 18" Length

DK123 23" Length



AHS714P

Aluminized Carbon/Para-Aramid Back Hi-Temp Gloves

- Fully lined with wool
- 14" length
- One size

AHS714L Split Cowhide Palm

AHS714P PBI® Palm



AHS714L



PBI® Hi-Temp Glove

- 22 oz. high performance polybenzimidazole (PBI®)
- Fully lined with wool
- 14" length
- One size

P114



Aluminized Leather Hi-Temp Glove

- Aluminized leather back
- Split cowhide palm
- Fully lined with wool
- 18" length
- One size

AL718L



Vertex™ Hi-Temp Mitt

- 36 oz. Vertex™ vermiculite-coated fiberglass
- Fully lined with wool & Nomex® felt
- One size

V214 14" Length

V214V 14" Length, Double Palm



Vertex™ Hi-Temp Jumbo Cover Mitt

- 36 oz. Vertex™ vermiculite-coated fiberglass
- Wire mesh shell
- Unlined
- One size

WVC1R



Vertex™ Hi-Temp Glove

- 36 oz. Vertex™ fiberglass
- Fully lined with wool
- 14" length
- One size

V114




Para-Aramid Hi-Temp Mitt

- Fully lined with wool & Nomex® felt
- Double palm
- 14" length
- One size

DK214DK

GLOVE & MITT MATERIAL DEGRADATION TEMPERATURES

Hi-temp gloves can be made of a variety of materials. The thermometer is a rough guideline of the relative degradation/melting temperature of various heat-resistant material. These temps should not be construed as a guide for working temperatures, but should be used for comparison only.



CHOOSE THE RIGHT LEATHER

All welding and work glove leather is not the same, and neither are all welding glove suppliers. We strive to use only the best leathers and the most appropriate hides for each application. Because of its natural insulation properties, durability, and comfort, animal leather is the popular choice for welding gloves, drivers gloves, and other work gloves. Here is a summary of the animal hides used for these gloves and the unique characteristics of each.



COWHIDE

Cowhide is the most common and abundant leather source. Because it offers the right balance of performance and value, cowhide is excellent leather for welding, driving, and work gloves, welding jackets, and other protective apparel. Cowhide is very durable and performs very well against sparks and spatter, while offering sufficient suppleness for comfort.



PIGSKIN

Pigskin is a dense leather; however, small pores in the skin allow the wearer's hand to breathe. Pigskin is very durable. Slightly thinner than cowhide, pigskin has a supple feel, and it stays soft, even after getting wet. Pigskin is a popular choice for stick and MIG welding gloves.



GOATSKIN

Goatskin is an economical, strong, and durable leather, with a smooth fine grain. The high lanolin content of goatskin makes it a very supple leather. Goatskin is slightly softer and tougher than cowhide and is lightweight, comfortable, and flexible. Goatskin is reserved for TIG welding, drivers, and other gloves where dexterity is important.



KIDSKIN

Kidskin is very soft leather from a young goat. It is one of the thinnest leathers used for work gloves, allowing a high level of finger and hand control, while providing reasonable durability and abrasion resistance. With its well-rounded features, including its adaptability, durability, suppleness, and light weight, kidskin is ideal for TIG gloves.



DEERSKIN


Deerskin is one of the toughest leathers available. The physical structure of deerskin is different than other types of hides. Its elongated interwoven fibers give it an extremely high shear strength and abrasion resistance. Deerskin is also ultra-soft, supple, and comfortable with a spongy feel. It is lightweight, yet highly durable. Deerskin is used for MIG and TIG welding gloves, as well as drivers gloves.



ELKSKIN

Elkskin is the premium choice for work gloves, representing the top of the line in comfort, feel, and performance. Elkskin stays soft and supple, even when hot and wet, allowing excellent hand movement. It is thicker and more durable than deerskin. One of the heaviest leathers available, it is the most heat, flame, and abrasion resistant, while also providing superior comfort. Elkskin is the "top-shelf" choice for stick welding and drivers gloves.

Types of Split Leather



SIDE SPLIT

Side splits come from the back and side portions of the animal. Since hides are densest in these areas, side split offers the greatest durability and consistency.

SHOULDER SPLIT

The hide around the shoulder area is less uniform in density and appearance. Shoulder split is less durable, but more affordable leather.

BELLY SPLIT


The belly area yields the thinnest and least consistent leather. Belly split is less durable and is often used for "economy grade" gloves.

Thicker hides, such as cowhide, can be split into two or more layers. Once the top GRAIN layer has been removed, the remaining layer is split into one or more split leather layers. SPLIT leather is generally not as strong as the grain layer; however, the denser fibers are more abrasion resistant. When selecting a leather glove or garment, you should consider the part of the animal's body the hide comes from.

For more about leathers, grains, & splits, see the Resource Hub on our website.

Glove Sizing

To determine a glove size, measure (in inches) around the hand with a tape measure across the palm. For best results, measure the dominant hand, the right for a right-handed person, and the left if the person is left-handed. Compare the measurement to the table on the right to find the corresponding glove size.



Gloves							
SIZE	XS	S	M	L	XL	2XL	3XL
Men's	6" - 7"	7" - 8"	8" - 9"	9" - 10"	10" - 11"	11" - 12"	12" - 13"
Women's	6" - 7¼"	7¼" - 7½"	7½" - 7¾"	7¾" - 8"	8" - 8¼"	-	-

To accommodate extra-long fingers and/or fingernails, please consider choosing one size up.

Jacket & Shirt Sizing

Take the chest measurement by measuring under the armpits around the fullest part of the chest. Take the sleeve measurement by extending arm with elbow bent as indicated in the picture, and measuring from the nape of the neck, around the elbow, and to the wrist. Find your jacket/work shirt size in the table below.

Men's Jackets & Shirts								
SIZE	S	M	L	XL	2XL	3XL	4XL	5XL
Chest	33"-37"	37"-41"	41"-45"	45"-49"	49"-53"	53"-57"	57"-61"	61"-65"
Sleeve	33"	34"	34"	36"	36"	37"	37"	38"

Women's Jackets					
SIZE	XS	S	M	L	XL
Chest	31"-33"	33"-36"	36"-39"	39"-42"	42"-45"
Sleeve	27"	28"	29"	30"	31"


Pants & Coveralls Sizing

Take the waist measurement where the belt is normally worn. Measure loosely with one finger between the body and measuring tape. Find your pants size in the table below. For custom orders, please also provide the inseam measurement.

Men's Pants									
SIZE	32	34	36	38	40	42	44	46	48
Waist	34"-36"	36"-38"	38"-40"	40"-42"	42"-44"	44"-46"	46"-48"	48"-50"	50"-52"

9 oz. Coveralls (CF2215, CF2216, F9-32CA/PT, FN9-32CA/PT, F09-32CA/PT)									
SIZE	S	M	L	XL	2XL	3XL	4XL	5XL	
Chest Size (suit coat size)	36/38	40/42	44/46	48/50	52/54	56/58	60/62	64/66	
Chest Measurement	44	48	52	56	60	64	68	72	
Waist	42	45	48	51	54	57	60	63	
Inseam	30	30	32	32	34	34	34	35	
Torso	38	38	40	40	42	42	42	44	
Sleeve Length	34.5	34.5	35.5	35.5	37.5	38.5	40.5	42.5	

7 oz. Coveralls (CF2117, CF2118, CF4017)									
SIZE	S	M	L	XL	2XL	3XL	4XL	5XL	
Chest Size (suit coat size)	34/36	38/40	42/44	46/48	50/52	54/56	58/60	62/64	
Chest Measurement	44.5	48.5	52.5	56.5	60.5	64.5	68.5	72.5	
Waist	39	42	45	49	54	58	62	66	
Inseam	30.5	30.5	30.5	30.5	30.5	30.5	30.5	30.5	
Torso	38	38	40	40	42	42	44	44	
Sleeve Length	32	33	34	35	36	36.5	37	37	



Welding Cap Sizing

Hat Sizing (AH1630, AH1730, AH1631)		
SIZE	HEAD SIZE AT EYEBROW	HAT SIZE
Small	21" - 21.5"	6 ¾ - 6 ⅝
Medium	21.5" - 23"	6 ⅝ - 7 ⅝
Large	23" - 25.5"	7 ⅝ - 8

1.		36WC	P. 32	97K	P. 58	BX9-19S-BK	P. 13
104	P. 39	39	P. 43	97KCR	P. 58	BX9-19S-RB	P. 13
110	P. 42	39CHMP	P. 45	97SW	P. 58	BX9C	P. 06
110 LH	P. 42	4.		99ACE-G	P. 53	BXR9C	P. 06
111P	P. 41	40WS	P. 34	99ACE-P	P. 52	BXR9C/PS	P. 28
111R-18	P. 41	42A	P. 34	99ACE-PW	P. 71	BXTN9C	P. 06
111S	P. 42	42SL	P. 34	99DEER	P. 53	C.	
112	P. 42	48A	P. 34	99G-BLUE	P. 53	C114V	P. 79
113	P. 42	48SL	P. 34	99HV	P. 52	C134V	P. 79
114	P. 79	5.		99PLUS-BLK	P. 52	CF2117-GY	P. 24
115	P. 42	5A	P. 68	99PLUS-BLUE	P. 52	CF2117-NV	P. 24
134	P. 79	5B	P. 68	A.		CF2117-OR	P. 24
14WB	P. 33	5BE	P. 68	A61	P. 57	CF2117-ST	P. 24
15FH-BLK	P. 71	5F	P. 68	A62	P. 57	CF2118-GY	P. 24
15FH-GRAY	P. 71	5FB	P. 68	AH1520-NV	P. 93	CF2118-NV	P. 24
15FH-MAX2	P. 71	5LP	P. 73	AH1630-GS	P. 76	CF2118-OR	P. 24
15HV	P. 70	5LWP	P. 73	AH1630-NG	P. 76	CF2118-ST	P. 24
17	P. 56	5Y	P. 68	AH1631-NB	P. 76	CF2215-NV	P. 25
17T	P. 72	5YW	P. 73	AH1730-BL	P. 76	CF2215-ST	P. 25
18SLV	P. 33	550	P. 41	AH2140-NS	P. 75	CF2216-NV	P. 25
19C	P. 55	580	P. 39	AH5040-BK	P. 75	CF2216-ST	P. 25
19FX-BLK	P. 54	580AN	P. 39	AH7055-BL	P. 20, 87	CF4017-GY	P. 24
2.		580LH	P. 39	AHS714DK	P. 94	CF4017-NV	P. 24
200	P. 40	6.		AHS714L	P. 94	CF4017-ST	P. 24
20WB	P. 33	6B	P. 68	AHS714P	P. 94	D.	
21CS	P. 33	6DP	P. 68	AHS718DK	P. 94	DK114	P. 94
2121	P. 73	6LPK	P. 73	AL1020-BL	P. 35	DK118	P. 94
2121-BLU	P. 73	7.		AL1520-TN	P. 36	DK123	P. 94
214CS	P. 33	730	P. 38	AL718L	P. 94	DK214DK	P. 95
220CS	P. 33	75CL	P. 34	AP1010-0D-0608	P. 79	F.	
2300	P. 66	750	P. 38	AP1010-0D-1012	P. 79	F2-18S	P. 13
23SLV	P. 33	8.		AP1010-0D-1420	P. 79	F2-21CS	P. 12
24D-BLK	P. 47	8FB	P. 68	AP1010-0D-2228	P. 79	F2-23S	P. 13
24K	P. 47	850	P. 38	AP1010-0D-3036	P. 79	F2-30C	P. 08
24WA	P. 34	87	P. 62	AP1010-0D-4048	P. 79	F2-36C	P. 08
24WB	P. 33	87K	P. 62	AP3015-RG	P. 78	F9-118S	P. 13
25	P. 45	9.		AT2010-WG	P. 78	F9-18S	P. 13
25D-BLK	P. 47	9G	P. 61	B.		F9-20B	P. 12
25E	P. 45	9GB	P. 62	B9C	P. 06	F9-21CS	P. 12
25G	P. 48	9GCR	P. 61	BC5B-BK	P. 77	F9-223S	P. 13
25K	P. 47	9GCRI	P. 61	BC5B-SC	P. 77	F9-23S	P. 13
25SLV	P. 33	9GE	P. 62	BC5D-BK	P. 77	F9-24B	P. 12
26	P. 45	9P	P. 60	BC5SB-BK	P. 75	F9-30C	P. 08
26WJ	P. 32	9PB	P. 63	BC5W-BK	P. 77	F9-30C/BS	P. 29
280	P. 41	9PW	P. 72	BC5W-SC	P. 77	F9-32CA/PT	P. 12
3.		91	P. 59	BM88	P. 43	F9-32P	P. 12
30PWC	P. 31	91CR	P. 59	BM88CR	P. 43	F9-34P	P. 12
30WC	P. 32	91CRI	P. 59	BP	P. 74	F9-36A	P. 13
320	P. 40	91DP	P. 60	BP-CB	P. 74	F9-36C	P. 08
320LH	P. 40	92	P. 60	BP-CX	P. 74	F9-42A	P. 13
34KE	P. 48	92CL	P. 34	BP-DX	P. 74	F9-42C	P. 08
35K	P. 48	93	P. 60	BP-VC	P. 74	F9-50C	P. 08
35KCR	P. 48	93W	P. 72	BT88	P. 46	F9-HOOD	P. 12
35KE	P. 48	94	P. 63	BX-19P	P. 28	FB2-30C	P. 08
35KF	P. 48	95	P. 60	BX21B	P. 13	FBK9-30C	P. 08
36A	P. 34	96	P. 63	BX21CS	P. 13	FD10-30P	P. 22
36SL	P. 34	97	P. 58	BX-22C	P. 27	FD10-32P	P. 22

FD10-34P	P. 22	GW101	P. 70	KS-18T-BK	P. 88	V.	
FD14-30P	P. 22	GW2226-OB	P. 70	KS-18T-YL	P. 88	V114	P. 95
FD14-32P	P. 22	GW4040-BY	P. 71	KS-23-YL	P. 88	V214	P. 95
FD14-34P	P. 22	GW4540-BK	P. 70	KS-23T-BK	P. 88	V214V	P. 95
FD14-36P	P. 22	GW4640-MB	P. 70	KS-23T-YL	P. 88	VF1110-HY	P. 11
FL9-30C	P. 08	GX100	P. 51	L.		VS2020-LM	P. 89
FN9-30C	P. 08	GX2025-YB	P. 50	LS50	P. 39	VS2020-OR	P. 89
FN9-32CA/PT	P. 12	GX2126-OB	P. 50	LT50	P. 46	VS2035-LM	P. 89
FN9-32CA/PT/RTT	P. 12	GX2327-OB	P. 50	N.		VS2035-OR	P. 89
FN9-42C	P. 08	GX3020-BW	P. 55	NH100	P. 93	W.	
F09-30C	P. 08	GX4040-BY	P. 55	NH200	P. 93	Welding Blankets	P. 84-85
F09-30C/BS	P. 29	GX4140-BW	P. 55	NH300	P. 93	Welding Curtains	P. 81
F09-32CA/PT	P. 12	GX4240-BW	P. 55	NH400	P. 93	Welding Screens	P. 82-83
F09-32P	P. 12	GX4540-BK	P. 54	P.		WF2110-GY	P. 20
FR9-30C	P. 08	GX4541-BK	P. 54	P114	P. 94	WF2110-NV	P. 20
FRB9-30C/BS	P. 29	GX4640-MB	P. 54	PF5530-CG	P. 23	WF2110-PB	P. 21
FRB9-30C/PS	P. 28	GX5015-NW	P. 51	PF5530-KH	P. 23	WF2110-PK	P. 21
FS7-KHK	P. 14	H.		PF5532-CG	P. 23	WF2110-PR	P. 21
FS8-DNM	P. 14	HS-18T-HY	P. 88	PF5532-KH	P. 23	WF2110-ST	P. 20
FS9-PGY	P. 14	I.		PF5534-CG	P. 23	WF2112-ST	P. 20
G.		i17	P. 56	PF5534-KH	P. 23	WF4010-ST	P. 20
GB100	P. 86	i17T	P. 72	PRH100	P. 93	WL300	P. 87
GB150	P. 86	J.		PRH200	P. 93	WL350	P. 87
GB200	P. 86	JF1010-LM	P. 10	PRH300	P. 93	WVC1R	P. 95
GC1110-BL	P. 67	JF1010-OR	P. 10	R.			
GC1525-GB	P. 66	JF1012-LM	P. 10	RH	P. 79		
GC1526-GB	P. 66	JF1012-OR	P. 10	T.			
GC2030-GY	P. 67	JF1015-NB	P. 07	T50	P. 46		
GC2035-GY	P. 67	JF1117-HY	P. 11	TF2510-GY	P. 18		
GC2038-GY	P. 67	JF1331-BK	P. 15	TF2510-LM	P. 18		
GC2534-BL	P. 66	JF1332-LM	P. 15	TF2510-NV	P. 18		
GC2634-OA	P. 66, 73	JF1332-OR	P. 15	TF2510-OR	P. 18		
GC3135-GY	P. 67	JF1625-NG	P. 09	TF2511-LM	P. 18		
GC4145-HB	P. 67, 73	JF2220-GY	P. 19	TF2511-OR	P. 18		
GM1510-WT	P. 44	JF3530-NV	P. 17	TF2520-NG	P. 18		
GM1550-WT	P. 44	JF5000-NV	P. 17	TF3030-HB	P. 19		
GM1611-WT	P. 43	JH1012-LM	P. 29	TK114	P. 94		
GM1615-WT	P. 44	JH1012-OR	P. 29	U.			
GM1715-TT	P. 44	JH1016-NB	P. 27	UB100	P. 90		
GR3031-GB	P. 65	JH1515-NB	P. 27	UB150	P. 90		
GR3035-GY	P. 65	JL1021-BB	P. 35	UB200-BLU	P. 91		
GR4030-HB	P. 65	JL1030-BB	P. 35	UB200-CAM	P. 91		
GR4545-HB	P. 65, 73	JL1525-TN	P. 36	UB200-YEL	P. 91		
GR5030-HR	P. 64	JL1550-TN	P. 36	UB25	P. 90		
GR5040-HR	P. 64	JL2035-BK	P. 31	UB250-BLU	P. 91		
GR6030-GB	P. 64	JS3050-LB	P. 89	UB250-CAM	P. 91		
GS1321-BG	P. 40	K.		UB250-YEL	P. 91		
GS3030-BK	P. 38	KS-18-YL	P. 88	UB50	P. 90		



Disclaimer

Black Stallion®, BSX®, and AngelFire® gloves, apparel, accessories, screens, blankets, and all other products are warranted against defects in the manufacturing process only. As applications do vary, no use warranty is implied or intended. SPECIFICALLY, BLACK STALLION® DISCLAIMS ALL WARRANTIES INCLUDING BUT NOT LIMITED TO WARRANTIES OF FITNESS FOR A PARTICULAR PURPOSE, AND MERCHANTABILITY, WHETHER OTHERWISE ARISING BY LAW, CUSTOM, USAGE, TRADE PRACTICE, COURSE OF DEALING, OR COURSE OF PERFORMANCE. Working temperatures and recommended applications are presented without guarantee or responsibility on Black Stallion's® part. Information given in this catalog is intended as a guideline only. A careful analysis should be made before selecting protective equipment for each particular work environment and circumstance. It is the buyer's and, ultimately, the user's responsibility to determine if our products will provide adequate protection. As testing and modifications are ongoing in the industry, Black Stallion® reserves the right to change information and recommendations as further knowledge is gained. Black Stallion® shall not be liable for any loss, injury or death or any direct or indirect damages arising out of the use of these products. The contents of this catalog are intended for authorized Black Stallion® distributors. Information in this catalog is subject to change without notice. Contact Black Stallion® for the latest updates and information.



Black Stallion®

-  10747 Norwalk Blvd. Santa Fe Springs, CA 90670
-  800-527-3826 562-777-1588
-  800-738-2690
-  CS@BlackStallion.com
-  www.BlackStallion.com